

AWG Fittings, LLC

Product Catalog 2011



**Complete line of
equipment for all
your water supply
and distribution
needs!**

- **Equipment for Water Delivery**
- **Valves for Fire Apparatus**
- **Hose Couplings and Adapters**
- **Nozzles**
- **Foam Equipment**



AWG Fittings, LLC, located in South Walpole, Massachusetts, offers more than 100 years of experience in designing, engineering and manufacturing fire fighting equipment. AWG provides premium products to fire fighters and emergency response personnel worldwide, through a network of distributors and dealers.



AWG Fittings, LLC offers a full line of products from pump accessories, to distribution appliances, nozzles and foam equipment. We are the worlds largest manufacturer for Storz hose couplings, adapters and hydrant adapters. We also offer almost every type of hose connection used in fire fighting anywhere in the world. Every AWG product is designed to provide years of service and exceed the stringent demands of the fire fighting industry. Our in-house foundry for cast aluminum and brass allows us to cater to specific needs and maintain high quality standards. Every valve is individually pressure tested prior to being shipped to our customers.

Our engineering and production departments focus on research and development to continuously improve existing products, as well as develop new production technology. We have the ability to custom engineer products for individual customer needs. With professional fire fighters on staff every AWG product is created with hands on knowledge and decades of experience.

Our ability to adapt to the many different standards throughout the world has earned us a unique reputation among fire departments worldwide as a leading manufacturer in the industry. Our products are simple to use, durable and reliable. Firefighting is a dangerous job, which is why AWG Fittings, LLC takes the extra precautions to keep you safe.



Contents

Hydrant Valves	4
Pump Intake Valves	6
Discharge Valves	10
Leader Line Wyes	10
LDH Wyes	11
Water Thiefs	11
LDH Manifolds	12
Siamese	12
Large Diameter Equipment	14
Accessories	15
Selectable Gallonage Nozzles	16
Break Apart Nozzles	17
HS Nozzles	18
Specialty Nozzles	18
Nozzle Accessories	19
Inline Foam Eductors	20
Foam Nozzles	21
Hose Couplings and Adapters	22
Couplings	22
Adapters	24
Elbows with Pressure Relief Valve	29
Storz Accessories and Parts	33
Storz gaskets, BSP gaskets and circlips.	33
British Instantaneous adapters	35
Line Gauges	37

Equipment for Water Delivery

Hydrant Valves

2.5", 4" and 6" valves for controlling each hydrant discharge.



2.5" Hydrant Gate Valve		
2.5" NH female swivel x 2.5" NH male gate valve with a non rising stem is excellent for hydrant and other water control. There is a spinning knob on hand wheel for easy open/close, with a built in slow close safety operation. Lightweight anodized all metal corrosion resistance construction and a stainless steel spindle. Pressure rated to 250 psi. Dimensions: Length: 6" Width: 5" Height: 9" Weight: 4.5 lbs		

Part Number	Description	List Price
75001833	2.5" NH FM SW RL inlet x 2.5" NH M outlet	\$338.00



2.5" Ball Valve		
Quarter turn, full flow, 2.5" ball valve for double dressing hydrants, tanker fill site, in line water flow control, or other portable uses. Lightweight durable ball valve, 2.5" NH FM swivel X 2.5" NH M, quarter turn, hard coated ball, full flow design, multiple portable uses for control of water flow. Special threads available upon request.		

Part Number	Description	List Price
75035133	2.5" NH FM SW RL inlet x 2.5" NH M outlet	\$360.00



4" Gate Valve Straight		
This LDH hydrant gate valve provides low friction loss due to a high flow design. It is excellent for hydrant discharge control, due to providing a slow open/close mechanism. The light weight gate valve has an air bleeder valve, a non-rising stem, an anodized gate, and a stainless steel spindle. Dimensions: Height: 14" Length: 10" Width: 7" Weight: 21 lbs Friction loss at 1000 GPM: 0.8 PSI		

Part Number	Description	List Price
75001933	4" NH FM SW RL inlet x 4" Storz lock outlet	\$880.00
75002033	4.5" NH FM SW RL inlet x 4" Storz lock outlet	\$880.00
75002133	5" NH FM SW RL inlet x 4" Storz lock outlet	\$880.00
75002233	6" NH FM SW RL inlet x 4" Storz lock outlet	\$880.00
75002333	4" NH FM SW LH inlet x 4" Storz lock outlet	\$891.00
75002433	4.5" NH FM SW LH inlet x 4" Storz lock outlet	\$891.00
75002533	5" NH FM SW LH inlet x 4" Storz lock outlet	\$891.00
75002633	6" NH FM SW LH inlet x 4" Storz lock outlet	\$891.00
75002733	4" Storz lock inlet x 4" Storz lock outlet	\$855.00
75002833	4" NH FM SW RL inlet x 5" Storz lock outlet	\$936.00
75002933	4.5" NH FM SW RL inlet x 5" Storz lock outlet	\$936.00
75003033	5" NH FM SW RL inlet x 5" Storz lock outlet	\$936.00
75003133	6" NH FM SW RL inlet x 5" Storz lock outlet	\$936.00
75003233	4" NH FM SW LH inlet x 5" Storz lock outlet	\$947.00
75003333	4.5" NH FM SW LH inlet x 5" Storz lock outlet	\$947.00
75003433	5" NH FM SW LH inlet x 5" Storz lock outlet	\$947.00
75003533	6" NH FM SW LH inlet x 5" Storz lock outlet	\$947.00
75003633	5" Storz lock inlet x 5" Storz lock outlet	\$1,058.00



4" Gate Valve With 25 Degree Elbow

This LDH hydrant gate valve has the following features: slow open/close, a 25 degree elbow, and low friction loss due to a high flow waterway design. The light weight gate valve has a non rising stem, an air bleeder valve, an anodized gate, and a stainless steel spindle. Choose from a variety of sizes of Storz or NST connections. Friction Loss at 1000 GPM: 0.8 PSI. Dimensions: Height: 13" Length: 11" Width: 8.5" Weight: 24 lbs

Part Number	Description	List Price
75003733	4" NH FM SW RL inlet x 4" Storz lock outlet	\$975.00
75003833	4.5" NH FM SW RL inlet x 4" Storz lock outlet	\$975.00
75003933	5" NH FM SW RL inlet x 4" Storz lock outlet	\$975.00
75004033	6" NH FM SW RL inlet x 4" Storz lock outlet	\$987.00
75004133	4" NH FM SW LH inlet x 4" Storz lock outlet	\$987.00
75004233	4.5" NH FM SW LH inlet x 4" Storz lock outlet	\$987.00
75004333	5" NH FM SW LH inlet x 4" Storz lock outlet	\$987.00
75004433	6" NH FM SW LH inlet x 4" Storz lock outlet	\$924.00
75004533	4" Storz lock inlet x 4" Storz lock outlet	\$980.00
75004633	4" NH FM SW RL inlet x 5" Storz lock outlet	\$975.00
75004733	4.5" NH FM SW RL inlet x 5" Storz lock outlet	\$1,013.00
75004833	5" NH FM SW RL inlet x 5" Storz lock outlet	\$1,013.00
75004933	6" NH FM SW RL inlet x 5" Storz lock outlet	\$938.00
75005033	4" NH FM SW LH inlet x 5" Storz lock outlet	\$913.00
75005133	4.5" NH FM SW LH inlet x 5" Storz lock outlet	\$1,024.00
75005233	5" NH FM SW LH inlet x 5" Storz lock outlet	\$948.00
75005333	6" NH FM SW LH inlet x 5" Storz lock outlet	\$1,024.00
75005433	5" Storz lock inlet x 5" Storz lock outlet	\$1,000.00



6" Gate Valve Straight

The LDH hydrant gate valve has our largest water way which provides low friction loss due to a high flow design. It is excellent for hydrant discharge control, due to providing a slow open/close mechanism. The light weight gate valve has a full 3/4" air bleeder valve, a non-rising stem, an anodized gate, and a stainless steel spindle. Choose from a variety of sizes of Storz or NST connections. Friction loss at 1000 GPM: 0.1 PSI. Dimensions: Height: 16" Length: 10" Width: 8.5" Weight: 30 lbs

Part Number	Description	List Price
75007333	4.5" NH FM SW RL inlet x 5" Storz lock outlet	\$2,579.00
75007433	6" NH FM SW RL inlet x 5" Storz lock outlet	\$2,504.00
75007533	5" Storz lock x 5" Storz lock outlet	\$2,504.00
75007633	6" NH FM SW RL inlet x 6" Storz lock outlet	\$2,504.00
75007733	6" Storz lock x 6" Storz lock outlet	\$2,504.00

6" Gate Valve With 25 Degree Elbow

This LDH gate valve has our largest water way which provides low friction loss due to a high flow design. The light weight gate valve has a 25 degree elbow, a 3/4" air bleeder valve, a non-rising stem, an anodized gate, and a stainless steel spindle. Choose from a variety of sizes of Storz or NST connections. Dimensions: Height: 16" Length: 12.5" Width: 8.5" Weight: 31 lbs

Part Number	Description	List Price
75007833	4.5" NH FM SW RL inlet x 5" Storz lock outlet	\$2,729.00
75007933	6" NH FM SW RL inlet x 5" Storz lock outlet	\$2,654.00
75008033	5" Storz lock x 5" Storz lock outlet	\$2,654.00
75008133	6" NH FM SW RL inlet x 6" Storz lock outlet	\$2,654.00
75008233	6" Storz lock x 6" Storz lock outlet	\$2,654.00





Hydrassist Valve

Excellent for boosting pressure on long hose lays or for boosting low hydrant pressures. The light-weight hydrant valve enables the first-in pumper to lay LDH directly from the hydrant to the fire and when hose lay is completed, start flowing water from the hydrant. If additional pressure is required, another pumper can connect to the Hydrassist valve and start pumping to raise pressure and flow without interrupting the established water supply. The valve provides an emergency shut-down capability. Anodized internal ball. Choose from a variety of sizes of Storz or NST connections. Friction loss at 1000 GPM: 3.3 PSI. Dimensions: Height: 13" Length: 12.75" Width: 17" Weight: 25 lbs

Part Number	Description	List Price
75016133	4.5" NH FM SW LH inlet x (3) 4" Storz lock connections	\$1,908.00
75016233	4.5" NH FM SW LH inlet x (3) 5" Storz lock connections	\$1,838.00
75016333	5" NH FM SW LH inlet x (3) 4" Storz lock connections	\$1,908.00
75016433	5" NH FM SW LH inlet x (3) 5" Storz lock connections	\$1,838.00
75018233	4" Storz lock swivel inlet x (3) 4" Storz lock connections	\$1,908.00
75018333	5" Storz lock swivel inlet x (3) 5" Storz lock connections	\$1,908.00

Pump Intake Valves



4" Gate Valve With 25 Degree Elbow And Pressure Relief Valve

This LDH gate valve has the following features: slow open/close, a 25 degree elbow, a field adjustable pressure relief valve, and low friction loss due to a high flow waterway design. The light weight gate valve has a non rising stem, an air bleeder valve, an anodized gate, and a stainless steel spindle. Choose from a variety of sizes of Storz or NST connections. Friction Loss at 1000 GPM: 0.8 PSI. Dimensions: Height: 13" Length: 11" Width: 8.5" Weight: 24 lbs

Part Number	Description	List Price
75005533	4" Storz lock inlet x 4" NH FM SW RL outlet	\$1,157.00
75005633	4" Storz lock inlet x 4.5" NH FM SW RL outlet	\$1,157.00
75005733	4" Storz lock inlet x 5" NH FM SW RL outlet	\$1,157.00
75005833	4" Storz lock inlet x 6" NH FM SW RL outlet	\$1,188.00
75005933	4" Storz lock inlet x 4" NH FM SW LH outlet	\$1,169.00
75006033	4" Storz lock inlet x 4.5" NH FM SW LH outlet	\$1,169.00
75006133	4" Storz lock inlet x 5" NH FM SW LH outlet	\$1,169.00
75006233	4" Storz lock inlet x 6" NH FM SW LH outlet	\$1,169.00
75006333	4" Storz lock inlet x 4" Storz lock outlet	\$1,188.00
75006433	5" Storz lock inlet x 4" NH FM SW RL outlet	\$1,157.00
75006533	5" Storz lock inlet x 4.5" NH FM SW RL outlet	\$1,163.00
75006633	5" Storz lock inlet x 5" NH FM SW RL outlet	\$1,163.00
75006733	5" Storz lock inlet x 6" NH FM SW RL outlet	\$1,163.00
75006833	5" Storz lock inlet x 4" NH FM SW LH outlet	\$1,169.00
75006933	5" Storz lock inlet x 4.5" NH FM SW LH outlet	\$1,174.00
75007033	5" Storz lock inlet x 5" NH FM SW LH outlet	\$1,174.00
75007133	5" Storz lock inlet x 6" NH FM SW LH outlet	\$1,174.00
75007233	5" Storz lock inlet x 5" Storz lock outlet	\$1,188.00

6" Gate Valve With 25 Degree Elbow With Pressure Relief Valve

This LDH gate valve has our largest water way which provides low friction loss due to a high flow design. The light weight gate valve has a 25 degree elbow, an adjustable pressure relief valve, a 3/4" air bleeder valve, a non-rising stem, an anodized gate, and a stainless steel spindle. Choose from a variety of sizes of Storz or NST connections. ANSI C 8 bolt round flange available on request

Part Number	Description	List Price
75018433	4.5" NH FM SW RL inlet x 5" Storz lock outlet	\$2,854.00
75018533	6" NH FM SW RL inlet x 5" Storz lock outlet	\$2,854.00
75018633	5" Storz lock x 5" Storz lock outlet	\$2,854.00

75018733	6" NH FM SW RL inlet x 6" Storz lock outlet	\$2,854.00
75018833	6" Storz lock x 6" Storz lock outlet	\$2,854.00



5" Ball Intake Valve With Pressure Relief Valve

A low profile, 12" depth ball intake valve designed for pumper intake control. Valve meets 900 PSI hydrostatic strength test. Utilizes full flow ball valve design, and has an easy to see visual indicator of ball position. Includes an air bleeder valve, an integrated 30 degree elbow, and a 250 PSI field adjustable pressure relief valve (adjustable in increments of 25 degrees from 75- 250 PSI). Handle can be mounted on right or left side of valve. Choose from a variety of sizes of Storz or NST connections. Friction loss at 1000 GPM: 0.1 PSI. Dimensions: Height: 16.5" Length: 12" Width: 8.5" Weight: 21 lbs

* FTS- Full Time Swivel

Part Number	Description	List Price
75008333	4" Storz lock inlet x 4.5" NH FM SW RL outlet	\$1,842.00
75008433	4" Storz lock inlet x 5" NH FM SW RL outlet	\$1,767.00
75008533	4" Storz lock inlet x 6" NH FM SW RL outlet	\$1,767.00
75008633	5" Storz lock inlet x 4.5" NH FM SW RL outlet	\$1,796.00
75008733	5" Storz lock inlet x 5" NH FM SW RL outlet	\$1,721.00
75008833	5" Storz lock inlet x 6" NH FM SW RL outlet	\$1,721.00
75008933	5" Storz lock FTS inlet x 4.5" NH FM SW RL outlet	\$1,859.00
75009033	5" Storz lock FTS inlet x 5" NH FM SW RL outlet	\$1,784.00
75009133	5" Storz lock FTS inlet x 5" NH FM SW RL outlet	\$1,784.00
75009233	6" Storz lock inlet x 4.5" NH FM SW RL outlet	\$1,934.00
75009333	6" Storz lock inlet x 5" NH FM SW RL outlet	\$1,859.00
75009433	6" Storz lock inlet x 6" NH FM SW RL outlet	\$1,859.00



5" Piston Intake Valve Stainless Steel With Pressure Relief Valve

Traditional piston intake valve design used for pumper intake control. Provides the following features: a 30 degree integrated elbow, a field adjustable pressure relief valve and an air bleeder valve. There is a stainless steel piston, sleeve and spindle for added corrosion protection. Choose from a variety of sizes of Storz or NST connections. Friction loss: 3.4 psi max. Dimensions: Height: 17.5" Length: 11.5" Width: 8.5" Weight: 26 lbs

Part Number	Description	List Price
75000245	4" Storz lock inlet x 4.5" NH FM SW RL outlet	\$1,650.00
75000345	4" Storz lock inlet x 5" NH FM SW RL outlet	\$1,575.00
75000445	4" Storz lock inlet x 6" NH FM SW RL outlet	\$1,575.00
75000545	5" Storz lock inlet x 4.5" NH FM SW RL outlet	\$1,581.00
75000645	5" Storz lock inlet x 5" NH FM SW RL outlet	\$1,506.00
75000745	5" Storz lock inlet x 6" NH FM SW RL outlet	\$1,506.00
75000845	5" Storz lock FTS inlet x 4.5" NH FM SW RL outlet	\$1,661.00
75000945	5" Storz lock FTS inlet x 5" NH FM SW RL outlet	\$1,586.00
75001045	5" Storz lock FTS inlet x 6" NH FM SW RL outlet	\$1,586.00
75001145	6" Storz lock inlet x 4.5" NH FM SW RL outlet	\$1,746.00
75001245	6" Storz lock inlet x 5" NH FM SW RL outlet	\$1,671.00
75001345	6" Storz lock inlet x 6" NH FM SW RL outlet	\$1,671.00



5" Piston Intake Valve Brass Body Stainless Steel Piston With Pressure Relief Valve

Traditional piston intake valve design used for pumper intake control. Provides the following features: a 30 degree integrated elbow, a field adjustable pressure relief valve and a full 3/4" air bleeder valve. A brass body with a stainless steel piston, sleeve and spindle for maximum corrosion resistance. Choose from a variety of sizes of Storz or NST connections. Friction Loss: 3.4 psi max. Dimensions: Height: 17.5" Length: 10.5" Width: 8" Weight: 47.5 lbs

Part Number	Description	List Price
75009533	4" Storz lock inlet x 4.5" NH FM SW RL outlet	\$2,541.00
75009633	4" Storz lock inlet x 5" NH FM SW RL outlet	\$2,466.00
75009733	4" Storz lock inlet x 6" NH FM SW RL outlet	\$2,466.00
75009833	5" Storz lock inlet x 4.5" NH FM SW RL outlet	\$2,471.00
75009933	5" Storz lock inlet x 5" NH FM SW RL outlet	\$2,396.00
75010033	5" Storz lock inlet x 6" NH FM SW RL outlet	\$2,396.00
75010133	5" Storz lock FTS inlet x 4.5" NH FM SW RL outlet	\$2,551.00
75010233	5" Storz lock FTS inlet x 5" NH FM SW RL outlet	\$2,476.00
75010333	5" Storz lock FTS inlet x 6" NH FM SW RL outlet	\$2,476.00
75010433	6" Storz lock inlet x 4.5" NH FM SW RL outlet	\$2,647.00
75010533	6" Storz lock inlet x 5" NH FM SW RL outlet	\$2,572.00
75010633	6" Storz lock inlet x 6" NH FM SW RL outlet	\$2,572.00

AWG Mega Flow Valves

Our newest compact design for pumper intake control allows easy maintenance. The valve provides the following features: a low profile 30 degree integrated elbow, a field adjustable pressure relief valve and a full 3/4" air bleeder. The new design offers the lowest friction loss and largest waterway available. Choose from a variety of sizes of Storz or NST connections. Friction loss at 1000 GPM: 2.3 PSI



5" Mega Flow XL Piston Intake Valve Aluminum With Pressure Relief Valve

Dimensions: Height: 17" Depth: 10.5" Width: 8.5" Weight: 34 lbs

Part Number	Description	List Price
75010733	4" Storz lock inlet x 4.5" NH FM SW RL outlet	\$1,583.00
75010833	4" Storz lock inlet x 5" NH FM SW RL outlet	\$1,508.00
75010933	4" Storz lock inlet x 6" NH FM SW RL outlet	\$1,508.00
75011033	5" Storz lock inlet x 4.5" NH FM SW RL outlet	\$1,583.00
75011133	5" Storz lock inlet x 5" NH FM SW RL outlet	\$1,508.00
75011233	5" Storz lock inlet x 6" NH FM SW RL outlet	\$1,508.00
75011333	5" Storz lock FTS inlet x 4.5" NH FM SW RL outlet	\$1,748.00
75011433	5" Storz lock FTS inlet x 5" NH FM SW RL outlet	\$1,673.00
75011533	5" Storz lock FTS inlet x 6" NH FM SW RL outlet	\$1,673.00
75011633	6" Storz lock inlet x 4.5" NH FM SW RL outlet	\$1,748.00
75011733	6" Storz lock inlet x 5" NH FM SW RL outlet	\$1,673.00
75011833	6" Storz lock inlet x 6" NH FM SW RL outlet	\$1,673.00



5" Mega Flow XL Piston Intake Valve Stainless With Pressure Relief Valve

Dimensions: Height: 17" Depth: 10.5" Width: 8.5" Weight: 34 lbs

Part Number	Description	List Price
75011933	4" Storz lock inlet x 4.5" NH FM SW RL outlet	\$1,877.00
75012033	4" Storz lock inlet x 5" NH FM SW RL outlet	\$1,802.00
75012133	4" Storz lock inlet x 6" NH FM SW RL outlet	\$1,802.00
75012233	5" Storz lock inlet x 4.5" NH FM SW RL outlet	\$1,877.00
75012333	5" Storz lock inlet x 5" NH FM SW RL outlet	\$1,802.00
75012433	5" Storz lock inlet x 6" NH FM SW RL outlet	\$1,802.00
75012533	5" Storz lock FTS inlet x 4.5" NH FM SW RL outlet	\$2,042.00

75012633	5" Storz lock FTS inlet x 5" NH FM SW RL outlet	\$1,967.00
75012733	5" Storz lock FTS inlet x 6" NH FM SW RL outlet	\$1,967.00
75012833	6" Storz lock inlet x 4.5" NH FM SW RL outlet	\$2,042.00
75012933	6" Storz lock inlet x 5" NH FM SW RL outlet	\$1,967.00
75013033	6" Storz lock inlet x 6" NH FM SW RL outlet	\$1,967.00

5" Mega Flow XL Piston Intake Valve Brass With Pressure Relief Valve

Dimensions: Height: 17" Depth: 10.5" Width: 8.5" Weight: 37 lbs



Part Number	Description	List Price
75040733	4" Storz lock inlet x 4.5" NH FM SW RL outlet	\$2,198.00
75040833	4" Storz lock inlet x 5" NH FM SW RL outlet	\$2,123.00
75040933	4" Storz lock inlet x 6" NH FM SW RL outlet	\$2,123.00
75041033	5" Storz lock inlet x 4.5" NH FM SW RL outlet	\$2,198.00
75041133	5" Storz lock inlet x 5" NH FM SW RL outlet	\$2,123.00
75041233	5" Storz lock inlet x 6" NH FM SW RL outlet	\$2,123.00
75041333	5" Storz lock FTS inlet x 4.5" NH FM SW RL outlet	\$2,363.00
75041433	5" Storz lock FTS inlet x 5" NH FM SW RL outlet	\$2,288.00
75041533	5" Storz lock FTS inlet x 6" NH FM SW RL outlet	\$2,288.00
75041633	6" Storz lock inlet x 4.5" NH FM SW RL outlet	\$2,363.00
75041733	6" Storz lock inlet x 5" NH FM SW RL outlet	\$2,288.00
75041833	6" Storz lock inlet x 6" NH FM SW RL outlet	\$2,288.00

6" Mega Flow XXL Piston Intake Valve Stainless With Pressure Relief Valve

Dimensions: Height: 17" Length: 10.5" Width: 9" Weight: 35 lbs




Part Number	Description	List Price
75013533	5" Storz lock inlet x 5" NH FM SW RL outlet	\$2,155.00
75013633	5" Storz lock inlet x 6" NH FM SW RL outlet	\$2,155.00
75013833	5" Storz lock FTS inlet x 5" NH FM SW RL outlet	\$2,376.00
75013933	5" Storz lock FTS inlet x 6" NH FM SW RL outlet	\$2,376.00
75014133	6" Storz lock inlet x 5" NH FM SW RL outlet	\$2,079.00
75014233	6" Storz lock inlet x 6" NH FM SW RL outlet	\$2,079.00

6" Mega Flow XXL Piston Intake Valve Brass With Pressure Relief Valve

Dimensions: Height: 17" Length: 10.5" Width: 9" Weight: 38 lbs



Part Number	Description	List Price
75043533	5" Storz lock inlet x 5" NH FM SW RL outlet	\$2,476.00
75043633	5" Storz lock inlet x 6" NH FM SW RL outlet	\$2,476.00
75043833	5" Storz lock FTS inlet x 5" NH FM SW RL outlet	\$2,697.00
75043933	5" Storz lock FTS inlet x 6" NH FM SW RL outlet	\$2,697.00
75044133	6" Storz lock inlet x 5" NH FM SW RL outlet	\$2,400.00
75044233	6" Storz lock inlet x 6" NH FM SW RL outlet	\$2,400.00



Protective Screen

Replacement intake screen for AWG intake valves. Screen helps to prevent foreign objects from entering pump. Specify size.

Part Number	Description	List Price
40390645	4" Stainless steel flat protective screen	\$18.25
40390745	5" Stainless steel flat protective screen	\$29.70
40478745	6" stainless steel flat protective screen	\$35.17

Discharge Valves

Apparatus discharge valve which is lightweight, compact, and economical. Bolts to flange with 2.5" NH - M discharge threads.



Quarter Turn Valve

Discharge valve, 1/4 turn with 4 bolt flange x 2.5" NH M. Light weight construction with hard anodized ball. The handle position can be changed so valve closes either from left or right.

Part Number	Description	List Price
30454901	2.5" NH M outlet	\$243.00
20121702	2" square flange on both sides	\$300.70



Screw Down Valves

Screw style discharge valve, slow close, special design helps to prevent air from entering the pump until pump develops pressure. Valve seat will remain closed during priming even if valve is open, until positive pressure is against the valve seat. If prime is lost, seat will automatically close to assist in maintaining primed pump. Lock on valve neck will release the auto feature and valve can be manually opened.

Part Number	Description	List Price
20148933	2.5" BSP M outlet, aluminum	\$273.70
20148995	2.5" BSP M outlet, brass	\$606.80

Leader Line Wyes

Light weight wyes for distributing water to hand lines.



2 Way Ball Valves

Standard 2 way ball valve for feeding two lines with one line. A light weight valve with powder coating for lasting finish. Hard anodized balls have stainless steel tappets for corrosion resistance. Dimensions: Height: 8" Length: 10.5" Width: 9" Weight: 7 lbs

Part Number	Description	List Price
75014333	1.5" NH FM SW RL inlet x (2) 1.5" NH M outlets	\$442.00
75014433	2.5" NH FM SW RL inlet x (2) 1.5" NH M outlets	\$442.00
75014533	2.5" NH FM SW RL inlet x (2) 2.5" NH M outlets	\$555.00

LDH Wyes

Light weight wyes for distributing water from LDH supply lines.



2 Way LDH Ball Valves

Mid-Size 2 way LDH ball valve for feeding two lines with one large line. A light weight valve with powder coating for lasting finish. Hard anodized balls with stainless steel tappets for corrosion resistance. The design permits feed from either direction. Choose from a variety of sizes of Storz or NST connections. Dimensions: Length: 10.5" Width: 9" Height: 10" Weight: 14 lbs

Part Number	Description	List Price
75014633	4" Storz lock inlet x (2) 2.5" NH M outlets	\$539.00
75014733	5" Storz lock inlet x (2) 2.5" NH M outlets	\$584.00
75017433	4" NH FM SW RL inlet x (2) 2.5" NH M outlets	\$659.00
75017533	5" NH FM SW RL inlet x (2) 2.5" NH M outlets	\$704.00

2 Way LDH Super Flow Ball Valves With Pressure Relief Valve

Large, light-weight 2 way LDH ball valve. Feed two LDH hoses from a single LDH line or one LDH hose from two LDH hoses. The Super Flow ball valve has low friction loss due to a high flow water way design. Hard anodized balls with stainless steel tappets for corrosion resistance. This design permits feed from either direction. Includes adjustable pressure relief valve for added safety. Specify the size of Storz or NST connections. Dimensions: Length: 18" Width: 16" Height: 12" Weight: 47 lbs



Part Number	Description	List Price
75014833	4" Storz lock inlet x (2) 4" Storz lock outlets	\$2,634.00
75014933	5" Storz lock inlet x (2) 5" Storz lock outlets	\$2,504.00
75013133	6" Storz lock inlet x (2) 6" Storz lock outlets	\$2,960.00

3 Way LDH Ball Valves With Pressure Relief Valve

Mid-size, light weight 3 way LDH ball valve feeds three smaller lines from one LDH line or feed one LDH line from up to three smaller lines. The balls are hard anodized with stainless steel tappets for corrosion resistance. Valve includes a field adjustable pressure relief valve. Specify the size of Storz or NST connections. Dimensions: Length: 13.5" Width: 13" Height: 11" Weight: 12 lbs



Part Number	Description	List Price
75015133	4" Storz lock inlet x (3) 2.5" NH M outlets	\$1,094.00
75015233	5" Storz lock inlet x (3) 2.5" NH M outlets	\$1,067.00
75013233	6" Storz lock inlet x (3) 2.5" NH M outlets	\$1,174.00
75013333	4" NH FM SW RL inlet x (3) 2.5" NH M outlets	\$1,214.00
75013433	5" NH FM SW RL inlet x (3) 2.5" NH M outlets	\$1,187.00

Water Thiefs

3 Way Ball Valves Water Thief

Excellent device for high rise kits. Divides water into three hoses from one. Light weight construction. Hard anodized balls for corrosion resistance. Storz connections available, call for price. Weight: 15 lbs (valve body only)



Part Number	Description	List Price
75015033	2.5" NH FM SW RL inlet x (1) 2.5" NH M outlet x (2) 1.5" NH M outlets	\$916.00

LDH Manifolds



3 Way LDH Manifolds With Pressure Relief Valve

Light weight, 3 way LDH manifold, feeds two smaller lines from one LDH line and also has one straight through LDH outlet. The balls are hard anodized with stainless steel tappets for corrosion resistance. The manifold has an adjustable pressure relief valve and a liquid filled pressure gauge. Specify the size of Storz or NST connections. Dimensions: Length: 16" Width: 16" Height: 13" Weight: 40 lbs

Part Number	Description	List Price
75015333	4" Storz lock inlet x (1) 4" Storz lock outlet x (2) 2.5" NH M outlets	\$2,045.00
75015533	5" Storz lock inlet x (1) 4" Storz lock outlet x (2) 2.5" NH M outlets	\$2,045.00
75015633	5" Storz lock inlet x (1) 5" Storz lock outlet x (2) 2.5" NH M outlets	\$2,072.00
75015433	6" Storz lock inlet x (1) 6" Storz lock outlet x (2) 2.5" NH M outlets	\$2,294.00



5 Way LDH Manifolds With Pressure Relief Valve

Light weight, 5 way LDH manifold, feeds four smaller lines from one LDH line and also has one straight through LDH outlet. The balls are hard anodized with stainless steel tappets for corrosion resistance. The manifold has an adjustable pressure relief valve and a liquid filled pressure gauge. Specify the size of Storz or NST connections. Dimensions: Length: 17" Width: 24" Height: 13" Weight: 51 lbs

Part Number	Description	List Price
75015733	4" Storz lock inlet x (1) 4" Storz lock outlet x (4) 2.5" NH M outlets	\$2,145.00
75015933	5" Storz lock inlet x (1) 4" Storz lock outlet x (4) 2.5" NH M outlets	\$2,145.00
75016033	5" Storz lock inlet x (1) 5" Storz lock outlet x (4) 2.5" NH M outlets	\$2,145.00
75015833	6" Storz lock inlet x (1) 6" Storz lock outlet x (4) 2.5" NH M outlets	\$2,346.00

Siamese

2 Way Clappered Siamese

Light weight, clappered Siamese for supplying one LDH line from two smaller lines. The aluminium alloy is powder coated for long lasting finish and corrosion resistance. The one clapper design will close off the non pressurized inlet while permitting flow from the pressurized inlet. Choose from a variety of sizes of Storz or NST adapters. Dimensions: Length: 10.5" Width: 9.5" Height: 8" Weight: 11 lbs



Part Number	Description	List Price
75016533	(2) 2.5" NH FM SW RL inlet x (1) 4" Storz lock outlet	\$417.00
75016633	(2) 2.5" NH FM SW RL inlet x (1) 5" Storz lock outlet	\$426.00

2 Way Clappered Jumbo Siamese

Large two way clappered Siamese, excellent design for supplying one "LDH" line from two "LDH" lines. Siamese features rubber covered convenient carrying handle. Inlets are individually clappered. Specify the size of Storz or NST connections. Dimensions: Length: 18" Width: 14" Height: 9" Weight: 26 lbs



Part Number	Description	List Price
75016733	(2) 4" Storz lock inlet x (1) 4" Storz lock outlet	\$1,392.00
75016833	(2) 4" Storz lock inlet x (1) 5" Storz lock outlet	\$1,392.00
75017033	(2) 5" Storz lock inlet x (1) 5" Storz lock outlet	\$1,392.00
75016933	(2) 6" Storz lock inlet x (1) 6" Storz lock outlet	\$1,694.00

2 Way Jumbo Suction Siamese Not Clappered



Large, unclappered Siamese for mounting to pumper intake. Permits two suction hoses to be attached to main steamer connection to the pump. Powder coated for lasting finish. Specify size of Storz or NST connections. Dimensions: Length: 14" Width: 16" Height: 9" Weight: 18 lbs

Part Number	Description	List Price
75017133	(2) 6" NH M inlet x 6" NH FM SW LH outlet	\$1,494.00

3 Way Clappered Siamese



Light weight, 3 way clappered Siamese for supplying one LDH line from up to three smaller lines, each clappered individually. Specify the size of Storz or NST connections. Dimensions: Length: 15.5" Width: 14" Height: 9" Weight: 9 lbs

Part Number	Description	List Price
75017233	(3) 2.5" NH FM SW RL inlet x 4" Storz lock outlet	\$831.00
75017333	(3) 2.5" NH FM SW RL inlet x 5" Storz lock outlet	\$831.00
75017633	(3) 2.5" NH FM SW RL inlet x 6" Storz lock outlet	\$916.00

4 Way Clappered Siamese



Light weight anodized corrosion resistance all metal construction the 4 way clappered Siamese is used for supplying one LDH line from up to four smaller lines. Each inlet is clappered individually and can be fed individually or from all four smaller lines. Features stainless steel clapper assemblies "forged" Storz heads, and stainless steel balls in swivel races. Includes a carrying handle. Specify the size of Storz or NST connections. Dimensions: Length: 15" Width: 19" Height: 9" Weight: 15 lbs

Part Number	Description	List Price
75120133	(4) 2.5" NH FM SW RL inlet x 4" Storz lock outlet	\$1,084.00
75120233	(4) 2.5" NH FM SW RL inlet x 5" Storz lock outlet	\$1,084.00
75120333	(4) 2.5" NH FM SW RL inlet x 6" Storz lock outlet	\$1,169.00

2 Way Gated Siamese



Light weight, gated Siamese for supplying one line from two lines. Ball valve design permits water to be fed from either direction for greater flexibility. Specify the size of Storz or NST connections. Dimensions: Length: 12" Width: 11" Height: 9" Weight: 13 lbs

Part Number	Description	List Price
75017733	(2) 2.5" NH FM SW RL inlets x 4" Storz lock outlet	\$596.00
75017833	(2) 2.5" NH FM SW RL inlets x 5" Storz lock outlet	\$596.00
75018933	(2) 2.5" NH FM SW RL inlets x 6" Storz lock outlet	\$596.00
75013733	(2) 2.5" NH FM SW RL inlets x 4" NH FM SW LH outlet	\$716.00
75014033	(2) 2.5" NH FM SW RL inlets x 5" NH FM SW LH outlet	\$716.00
75019033	(2) 2.5" NH FM SW RL inlets x 6" NH FM SW LH outlet	\$716.00



3 Way Gated Siamese With Pressure Relief Valve

Light weight, gated Siamese for supplying one line from up to three lines. Ball valve design permits water to be fed from either direction for greater flexibility. Siamese comes standard with an adjustable pressure relief valve. Specify the size of Storz or NST connections. Weight: 15 lbs (valve body only)

Part Number	Description	List Price
75017933	(3) 2.5" NH FM inlets x 4" Storz lock outlet	\$1,188.00
75018033	(3) 2.5" NH FM inlets x 5" Storz lock outlet	\$1,188.00
75019133	(3) 2.5" NH FM inlets x 6" Storz lock outlet	\$1,188.00
75019233	(3) 2.5" NH FM inlets x 4" NH FM SW LH outlet	\$1,308.00
75019333	(3) 2.5" NH FM inlets x 5" NH FM SW LH outlet	\$1,308.00
75019433	(3) 2.5" NH FM inlets x 6" NH FM SW LH outlet	\$1,308.00

Large Diameter Equipment

12" Check Valve

12" Large diameter check valve, full flow design with positive sealing check valve, 12" BSP M x 12" BSP M. The valve has a lightweight construction. Please specify the type of adapters for both sides.



Part Number	Description	List Price
10083433	12" BSP M inlet x 12" BSP M outlet	Upon request
75120433	12" Storz lock inlet x 12" Storz lock outlet	Upon request
75120533	12" Multilug inlet x 12" Multilug outlet	Upon request

12" Wyes

High flow 12" wye for dividing water. Wye is unclappered and includes a pressure gauge. Specify style of adapter. Dimensions: Height: 15" Length: 20" Width: 25" Weight: 48 lbs



Part Number	Description	List Price
10079101	12" BSP M inlet x 12" BSP M outlet	Upon request
75120633	12" Storz lock inlet x 12" Storz lock outlet	Upon request
75120733	12" Multilug inlet x 12" Multilug outlet	Upon request

Multilug Adapters

The AWG MultiLug is a large diameter adapter available in 10" or 12" with automatic locking devices. It requires only a 5 degree turn to fully couple together and lock into position. It offers the lowest torques during the coupling process so coupling can easily be done with hand. The light weight design saves time and effort for faster and higher supply of water in industrial fire fighting or mobile water supply.



Part Number	Description	List Price
10075832	10" MultiLug adapter x 10" BSP FM	Upon Request
60765633	10" MultiLug adapter x 12" MultiLug	Upon Request
10075632	12" MultiLug adapter x 12" BSP FM	Upon Request
60617832	10" MultiLug blind cap	Upon Request
60617732	12" MultiLug blind cap	Upon Request



Multilug Hose Couplings

The AWG MultiLug is a large diameter hose coupling available in 10" or 12" with automatic locking devices. The light weight construction offers the shortest LDH coupling shank for easy handling in high volume water supply. It requires only a 5 degree turn to fully couple together and lock into position. It offers the lowest torques during the coupling process so coupling can easily be done by hand. The 3 part segment binding secures the hose in place and protects the coupling device when dropping the hose line off a moving truck or trailer unit. The light weight coupling saves time and effort for faster and higher supply of water in industrial fire fighting or mobile water supply.

Part Number	Description	List Price
75025933	10" MultiLug hose coupling with segment binding, pressure, set of two	Upon Request
75026033	12" MultiLug hose coupling with segment binding, pressure, set of two	Upon Request

Accessories



Hose Washer

Accommodates hoses up to 3" using incoming inlet pressure of only 60 PSI. Self feeding design.

Part Number	Description	List Price
60349733	2.5" NH FM SW RL	\$676.00



Hose Roller

Field tested hose roller with full 90 degree opening, flattens fire hoses up to 5" in diameter and squeezes out water, ice and air. The heavy duty roller is made of aluminium construction but still light weight, weighing under 5 pounds. The roller measures 2"x4"x 22" long.

Part Number	Description	List Price
75136433	Hose roller for hose up to 5" in diameter	\$245.00

Nozzles

Selectable Gallonage Nozzles

AWG selectable gallonage nozzles are available in 1", 1.5" and 2.5" with various GPM settings. All models include four GPM selections at 9-11-1-3 o'clock positions. Raised pointer on GPM selector. Ratchet clicks to identify flush setting. Pointer on bumper allows for easy identification of pattern settings. Nozzle has recessed teeth.



Turbo Nozzles 60 Series

Selectable 5-15-30-60 GPM @ 100 PSI booster hose nozzle with 1" connection. Optimal droplet design, 0 to 120 degree fixed teeth filled pattern or hollow pattern spinning teeth. Available with or without pistol grip. Rugged metal bale shut off with dual drive and stainless steel stops. FT- Fixed teeth

* ST- Spinning teeth * PG- Pistol Grip

Part Number	Description	List Price
60683733	TN 5-60 1" ST (5-15-30-60 GPM)	\$736.00
60683833	TN 5-60 1" FT (5-15-30-60 GPM)	\$736.00
60679433	TN 5-60 1" ST PG (5-15-30-60 GPM)	\$786.00
60679533	TN 5-60 1" FT PG (5-15-30-60 GPM)	\$786.00



Turbo Nozzles 125 Series 100 psi

Selectable 30-60-95-125 GPM at 100 PSI or low pressure 75 PSI for reduced nozzle reaction, attack line nozzle with 1.5" connection. Optimal droplet design, 0 to 120 degree filled or hollow pattern through spinning teeth. Available with or without pistol grip. Rugged metal bale shut off with dual drive and stainless steel stops.

* FT- Fixed teeth

* ST- Spinning teeth

Part Number	Description	List Price
60684033	TN 30-125 1.5" FT ST (30-60-95-125 GPM)	\$813.00
60683933	TN 30-125 1.5" ST (30-60-95-125 GPM)	\$813.00
60679733	TN 30-125 1.5" FT ST PG (30-60-95-125 GPM)	\$863.00
60679633	TN 30-125 1.5" ST PG (30-60-95-125 GPM)	\$863.00

Turbo Nozzles 125 Series Low Pressure 75 psi

Part Number	Description	List Price
60684133	TN 30-125 1.5" FT LP (30-60-95-125 GPM)	\$813.00
60690633	TN 30-125 1.5" ST LP (30-60-95-125 GPM)	\$813.00
60680333	TN 30-125 1.5" FT PG LP (30-60-95-125 GPM)	\$863.00
60690533	TN 30-125 1.5" ST PG LP (30-60-95-125 GPM)	\$863.00



Turbo Nozzles 250 Series

Selectable high flow attack line nozzle with 1.5" or 2.5" connection. Available with three flow settings: 30-95-150-200, 95-125-150-200, 125-150-200-250 GPM at 100 PSI. Both have optimal droplet design, 0 to 120 degree filled pattern through fixed rubber teeth. Available with or without Pistol Grip. Rugged metal bale shut off with dual drive and stainless steel stops.

*MRT - molded reflective teeth

Part Number	Description	List Price
60684433	TN 30-200 1.5" MRT (30-95-150-200 GPM)	\$866.00
60684633	TN 30-200 2.5" MRT (30-95-150-200 GPM)	\$866.00

60684233	TN 95-200 1.5" MRT (95-125-150-200 GPM)	\$954.00
60789733	TN 95-200 2.5" MRT (95-125-150-200 GPM)	\$954.00
60684333	TN 125-250 1.5" MRT (125-150-200-250 GPM)	\$1,046.00
60684533	TN 125-250 2.5" MRT (125-150-200-250 GPM)	\$1,046.00
60680033	TN 30-200 1.5" MRT PG (30-95-150-200 GPM)	\$917.00
60680233	TN 30-200 2.5" MRT PG (30-95-150-200 GPM)	\$917.00
60679833	TN 95-200 1.5" MRT PG (95-125-150-200 GPM)	\$1,004.00
75137533	TN 95-200 2.5" MRT PG (95-125-150-200 GPM)	\$1,004.00
60679933	TN 125-250 1.5" MRT PG (125-150-200-250 GPM)	\$1,093.00
60680133	TN 125-250 2.5" MRT PG (125-150-200-250 GPM)	\$1,093.00

Break Apart Nozzles



Turbo Twist Shut-Offs

Shut offs with unique bayonet style outlet which provides quick changing of numerous attachments. Attachments are secured with stainless steel bolts and cannot be removed under pressure. Specify 1.5" or 2.5" inlet with or without pistol grip. Hard anodized black lightweight construction.

Part Number	Description	List Price
60690733	1.5" TT SO	\$410.00
60690833	2.5" TT SO	\$410.00
60687833	1.5" TT SO PG	\$460.00
60687933	2.5" TT SO PG	\$460.00



Turbo Twist Selectable Gallonage Tips

Selectable gallonage tip only nozzle for use with Turbo Twist shut off. Features raised bumper lug, raised GPM setting pointer, flush without shutting down, and half turn for quick straight stream to fog stream. Several popular flow settings available from 30 to 250 GPM @ 100 PSI.

* FT- Fixed Teeth

* ST- Spinning teeth

* MRT- Molded reflective teeth

* PG- Pistol Grip

Part Number	Description	List Price
60691033	TT-N-30-125 FT ST (30-60-95-125 GPM)	\$550.00
60691133	TT-N-30-125 ST (30-60-95-125 GPM)	\$550.00
60691433	TT-N-30-200 MRT (30-95-150-200-250 GPM)	\$700.00
60691233	TT-N-95-200 MRT (95-125-150-200 GPM)	\$700.00
60691333	TT-N-125-250 MRT (125-150-200-250 GPM)	\$700.00

Turbo Twist Attachments

The latest innovation in nozzles is the Turbo Twist, a quick connection system with multiple tips. It takes only seconds to change the tips, which lock into place with stainless steel pins for secure attachment. Tips for numerous applications prepares the fire fighter for any situation.

Part Number	Description	List Price
30012733	TT-CAFS 1"	\$337.00
60637633	TT-CAFS 1 1/4"	\$245.00
30011645	TT-Piercing	\$696.00
60662333	TT-FE Fire-Ex (20-30 GPM)	\$1,080.00
60465699	Fire-Ex Cartridge 6 pcs	\$150.00
30011533	TT-CF Container Fog (70 GPM)	\$521.00
40485833	TT-Fog Electrical (30 GPM)	\$343.00
60662833	TT-ST5-42- Smooth Bore (42 GPM)	\$365.00
60691533	TT-ST5-75- Smooth Bore (75 GPM)	\$285.00
60690933	TT-ST5-170- Smooth Bore (170 GPM)	\$245.00
60691633	TT-ST5-260- Smooth Bore (260 GPM)	\$245.00
60691733	TT-ST5-300- Smooth Bore (300 GPM)	\$245.00
40485933	TT-FLS Flat Stream (37 GPM)	\$410.00
60688033	TT-HFA 3% Foam Agent- self educting (9 GPM)	\$658.00
60661833	TT-LF-60 Low Expansion (60 GPM)	\$350.00
60692233	TT-LF-95 Low Expansion (95 GPM)	\$350.00
60661933	TT-LF125 Low Expansion (125 GPM)	\$410.00
60692333	TT-MF-60 Medium Expansion (60 GPM)	\$820.00
60692433	TT-MF-95 Medium Expansion (95 GPM)	\$820.00
60692533	TT-MF-125 Medium Expansion (125 GPM)	\$980.00
60688133	TT-SLMF-60 Selectable (60 GPM)	\$1,200.00
60692633	TT-SLMF-125 Selectable (125 GPM)	\$1,285.00



HS Nozzles

HS Nozzles (Wildland Nozzles and Marine Nozzles)

Excellent lightweight metal forestry and marine approved nozzles. Supplied in 1" with a flow rate of 25 GPM and 1.5" with a flow rate of 75-150 GPM @ 100 PSI. The 1.5" model has a flow rate of 75 GPM in straight stream and 150 GPM on fog. All models have twist to shut off design. Molded rubber teeth/bumper is standard. Specify with or without pistol grip.

Part Number	Description	List Price
60688697	HS 7 (25 GPM), aluminum	\$155.00
60688797	HS 7 PG (25 GPM), aluminum	\$240.00
60688497	HS 12 (75-125 GPM), brass	\$185.00
60688597	HS 12 PG (75-125 GPM), brass	\$270.00



Specialty Nozzles

Water Curtain Nozzles

Stable water curtain nozzle for unmanned protection of threatened buildings, gaseous hazards, or cooling situations. Specify 1.5" (210 GPM) or 2.5" (370 GPM) at 75 PSI models.

Part Number	Description	List Price
60689033	WCN 1.5" (210 GPM)	\$300.00
60689133	WCN 2.5" (370 GPM)	\$300.00





Cellar Nozzles

Excellent nozzle for cellar or hard to access areas which distributes high flow of water in a wide 360 degree area. Brass chrome plated 2.5" nozzle will flow 170 GPM @ 100 PSI.

Part Number	Description	List Price
60690198	CN 2.5" (170 GPM)	\$700.00

Nozzle Accessories

Color coded accessories for Turbo Nozzles and Turbo Fix Nozzles, including pistol grip, handle and bumper.



Turbo Nozzles 60 Series Accessories

Part Number	Description	List Price
69687501	Yellow 60 Series	\$130.00
69687502	Orange 60 Series	\$130.00
69687510	White 60 Series	\$130.00
69687504	Blue 60 Series	\$130.00
69687505	Green 60 Series	\$130.00
69687506	Gray 60 Series	\$130.00
69687507	Black 60 Series	\$130.00
69687508	Red 60 Series	\$130.00



Turbo Nozzles 125 Series Accessories

Part Number	Description	List Price
69687601	Yellow 125 Series	\$130.00
69687602	Orange 125 Series	\$130.00
69687610	White 125 Series	\$130.00
69687604	Blue 125 Series	\$130.00
69687605	Green 125 Series	\$130.00
69687606	Gray 125 Series	\$130.00
69687607	Black 125 Series	\$130.00
69687608	Red 125 Series	\$130.00



Turbo Nozzles 250 Series Accessories

Part Number	Description	List Price
69687701	Yellow 250 Series	\$130.00
69687702	Orange 250 Series	\$130.00
69687710	White 250 Series	\$130.00
69687704	Blue 250 Series	\$130.00
69687705	Green 250 Series	\$130.00
69687706	Gray 250 Series	\$130.00
69687707	Black 250 Series	\$130.00
69687708	Red 250 Series	\$130.00



Turbo Nozzle Foam Attachment

A simple to attach lightweight foam attachment to quickly achieve foam expansion. It can adjust the foam from low to medium expansion ratios by rotating the bumper from straight stream to fog pattern. The locking device securely attaches the tube to any 60, 125, TF, or 250 series nozzle.

Part Number	Description	List Price
30007433	Foam Attachment Turbo Nozzle 60 Series	\$367.00
30389233	Foam Attachment Turbo Nozzle 125 and TF Series	\$594.00
30010833	Foam Attachment Turbo Nozzle 250 Series	\$891.00



Anti Recoil Attachments

Nozzle attachment for distribution of the nozzle reaction forces and easier hand line handling. Design distributes the nozzle reaction to the ground, body, and shoulder of the user. Specify 1.5" or 2.5" connection. The 1.5" includes a reflective stripe on the device to quickly locate the nozzle in the dark.

Part Number	Description	List Price
60688233	Anti Recoil Elbow RE 1.5"	\$380.00
60688333	Anti Recoil Elbow RE 2.5"	\$250.00

Inline Foam Eductors

Fixed Percentage Foam Eductors

Foam eductor, excellent device for fixed or portable use where foam concentrate will always be the same concentration. Low 100 PSI inlet pressure for applications where high pressure is not available, 30 GPM @ 100 PSI flow rate. Brass body for added corrosion resistance, 1" NST-FM X 1" NST-M connections, stainless steel wand with quick 1" Storz connection. Advise on fixed percentage at time of ordering. Length: 5.5", Width: 2", Height: 5.2", Weight: 4 lbs

Part Number	Description	List Price
75119493	Inline foam eductor FE 30 fix brass 1"	\$1,089.00

Foam eductor, excellent device for fixed or portable use where foam concentrate will always be the same concentration. Low 100 PSI inlet pressure for applications where high pressure is not available, 40 GPM @ 100 PSI flow rate, anodized aluminium body for added corrosion resistance, 1.5" NST-FM X 1.5" NST-M connections, stainless steel wand with quick 1" Storz connection. Includes pick up tube and stainless steel wand. Advise on fixed percentage at time of ordering. Length: 4.75", Width: 2", Height: 4" Weight: 1.2 lbs

Part Number	Description	List Price
75119640	Inline foam eductor FE 40 fix 1.5"	\$444.00
75119640	Inline foam eductor FE 40 with ball valve 1.5"	\$526.50

Adjustable Percentage Foam Eductors

This light weight inline Foam Eductor operates at low pressure 100 PSI. Excellent for use in plants, portable pumps or other low water pressure applications. Variable concentrate settings from 0.5% to 6%. Clear pick up tube with quick Storz connection and stainless steel wand. Flow ranges 60, 95 and 125 GPM. Length: 14.2", Width: 5.3", Height: 6" Weight: 4.8 lbs



Part Number	Description	List Price
60683233	FE 60 1.5" (60 GPM)	\$550.00
60689233	FE 95 1.5" (95 GPM)	\$550.00
60683333	FE 125 1.5" (125 GPM)	\$550.00
75038533	FE 250 1.5" (250 GPM)	\$816.00
60683433	FE 60 2.5" (60 GPM)	\$565.00

60689333	FE 95 2.5" (95 GPM)	\$565.00
60683533	FE 125 2.5" (125 GPM)	\$565.00
75038733	FE 250 2.5" (250 GPM)	\$831.00
60689433	Light Water Select LW SEL 60/125 0.1-1% (without pick up tube)	\$350.00

Foam Nozzles

Nozzles for use with CAFS, Medium Expansion Foam and Low Expansion Foam through direct connection or for use with Turbo Twist quick connect system.

Turbo CAFS Nozzles

Nozzle specifically designed for use with CAFS. Smooth, straight through design to maintain bubble integrity. Includes metal pistol grip and integral shut off. Swivel 1.5" inlet with 1" orifice.

Part Number	Description	List Price
60687433	TCN PG 1" Orifice	\$613.00



Self Contained Wetting Agent Nozzles- Fire Ex Nozzles

Fire-Ex Nozzle with built in cartridge for making a very effective wetting agent solution. The finished solution will quickly penetrate class "A" materials for quick knock down and reduces the amount of water required for total extinguishment. The wetting agent cools the burning material to reduce rekindle. The nozzle has a 1.5" inlet with a 20-30 GPM @ 75 PSI flow rate and includes a trigger on off shut off for easy control of flow. As an alternative inline proportioner can be used together with and AWG turbo Nozzle. Replacement cartridges are available in boxes of six units. Cartridge Dimensions: Height: 4.5" Length: 10.25" Width: 8.75" Weight: 10 lbs

Part Number	Description	List Price
60688833	FEN LP 1.5" Nozzle	\$1,250.00
60688933	FEF 1.5" x 1.5" proportioner	\$980.00
60692833	FEF 2.5" x 2.5" proportioner	\$980.00
60465699	Fire Ex Cartridge 6 pcs	\$240.00



Medium Expansion Foam Nozzles

Air aspirating stainless steel tube with an expansion ratio of 60:1. Excellent for making a foam blanket over hazardous spills. Includes carrying handle and shut off. Flows 60, 95 and 125 GPM at 100 PSI. The 60 and 95 GPM have a 1.5" connection and the 125 GPM has a 2.5" connection.

Part Number	Description	List Price
60689599	MFN 60 1.5" (60 GPM)	\$750.00
60693099	MFN 95 1.5" (95 GPM)	\$750.00
60689699	MFN 125 2.5" (125 GPM)	\$800.00



Low Expansion Foam Nozzles

Nozzle used for making air aspirated low expansion foam while providing long reach for added safety. Flow rates of 60, 90, and 125 GPM @ 100 PSI. Only a quarter turn to shut off and comes with a carrying handle. The 60 and 95 GPM have a 1.5" connection and the 125 GPM has a 2.5" connection.

Part Number	Description	List Price
60689799	HFN 60 1.5" (60 GPM)	\$320.00
60693199	HFN 95 1.5" (95 GPM)	\$320.00
60689833	HFN 125 2.5" (125 GPM)	\$360.00



Selectable Low-Medium Expansion Foam Nozzles

Air aspirating stainless steel foam nozzle with an expansion rate of 15:1 on low setting and 60:1 on medium setting. It can be adjusted via a select lever, providing added flexibility depending on the hazard. Includes carrying handle and shut off. Flows of 60 and 125 GPM at 100 PSI.



Part Number	Description	List Price
60689933	SLMFN 60 1.5" (60 GPM)	\$1,300.00
60693233	SLMFN 125 1.5" (125 GPM)	\$1,400.00

Self Contained Medium Expansion Foam Nozzle

Nozzle used for making air aspirated medium expansion 40-50:1 foam and includes built-in foam concentrate container. Easy and quick to attach to any 1" hose line. Flow rate of 10 GPM @ 75 PSI. Trigger shut off for easy and effective control of flow.



Part Number	Description	List Price
60690033	Self Contained Medium Expansion Foam Nozzle 3% 1"	\$721.60

Hose Couplings and Adapters

Hose couplings and adapters available from 1" to 12". All AWG 'forged' hose couplings provide the necessary safety features for municipal fire fighting. Storz hose couplings 4" and larger feature a locking mechanism. British instantaneous, NST, and other European adapters and couplings are available upon request.

Couplings

Storz Hose Coupling Sets

Sets include two hose couplings and two 3-part segment bindings. Easy to assemble/disassemble onto LDH hose using a simple Allen wrench. Utilizes a nut and bolt design to eliminate stripping of segments. Specify the Storz size and suction or pressure application.



Part Number	Description	List Price
75117433	2" pressure use, hose ID 2"	\$150.50
75000633	4" pressure use, hose ID 4", with lock	\$208.00
75000833	5" pressure use, hose ID 5", with lock	\$288.00
75000933	6" with 3 lugs and lock, pressure use, hose ID 6" with lock	\$356.00
75001033	8" with 3 lugs and safelock, pressure use, hose ID 8" with lock	\$1,768.80
75001133	10" with 3 lugs and safelock, pressure use, hose ID 10" with lock	Upon request
75001233	12" with 3 lugs and safelock, pressure use, hose ID 12" with lock	Upon request

Storz Hose Couplings for Wire Binding

AWG forged Storz heads provide maximum strength. No hidden imperfections like those found in cast couplings. Tested to a rated pressure of 240 PSI.



Part Number	Description	List Price
60001033	1" Storz hose ID 0.75", shank length 2", pressure/suction	\$14.15
40244433	1" Storz hose ID 1", shank length 2", pressure/suction	\$12.58
40244593	1" Storz hose ID 1", shank length 2", pressure/suction, brass	\$23.00
60003333	1.5" Storz hose ID 1.5", shank length 2.5", pressure only	\$23.40
60008393	2" Storz hose ID 1.75", shank length 3.5", pressure only, brass	\$40.34
40244633	2" Storz hose ID 2", shank length 2.2", pressure only	\$11.53
40244793	2" Storz hose ID 2", shank length 3", pressure only, brass	\$45.66
30242733	2" Storz hose ID 2", shank length 3.5" pressure only	\$35.63

40245233	2" Storz hose ID 2", shank length 3.5", pressure/suction	\$14.15
40039446	2" Storz hose ID 2", shank length 3.5", pressure/suction, stainless steel	\$154.30
60105293	2" Storz hose ID 2", shank length 3.5", pressure only, brass	\$51.63
40245237	2" Storz hose ID 2", shank length 3.5", with lock, pressure/suction, anodized	\$19.85
60011833	2.5" Storz hose ID 2.5", shank length 2.3", pressure only	\$21.33
60461846	2.5" Storz hose ID 2.5", shank length 2.5", pressure/ suction, stainless steel	\$382.84
60012433	2.5" Storz hose ID 3", shank length 2.5", pressure only	\$21.07
60017533	3" Storz hose ID 2.5", shank length 5", pressure/suction	\$24.07
60014033	3" Storz hose ID 2.75", shank length 3", pressure only	\$20.66
40244833	3" Storz hose ID 3", shank length 2.4", pressure only	\$13.71
40039546	3" Storz hose ID 3", shank length 4.1", pressure/suction use, stainless steel	\$285.76
60014833	3" Storz hose ID 3", shank length 5", pressure only	\$21.72
40245933	3" Storz hose ID 3", shank length 5", pressure/suction	\$20.94
40245937	3" Storz hose ID 3", shank length 5", pressure/suction, anodized	\$29.29
60332433	4" Storz hose ID 4", shank length 6", with lock, pressure/suction	\$92.58
40246333	4.33" Storz hose ID 4", shank length 6.7", pressure/suction	\$42.05
40246337	4.33" Storz hose ID 4", shank length 6.7", pressure/suction, anodized	\$59.88
60018746	5" Storz hose ID 5", shank length 8", pressure/suction, stainless steel w/o lock	Upon request
60332633	5" Storz hose ID 5", Shank length 7.5", pressure/suction w/ lock	\$204.94
60589733	6" Storz hose ID 6", shank length 7.1", with lock, pressure/suction	\$137.08
60430646	6" Storz hose ID 6", shank length 7", pressure/suction, stainless steel w/o lock	Upon request

British Instantaneous Hose Couplings Sets

Hose Couplings conforming to British Instantaneous standards BS 336 in 1.5" and 2.5" sizes for pressure use only. Set of two hose couplings for wire binding with two pull lock design. Available in brass or aluminium. Specify 1.5" or 2.5" sizes and hose size 1.5", 1.75", 2", 2.5", 2.75" or 3".



Part Number	Description	List Price
30227632	1.5" British Instantaneous coupling hose ID 1.5"	\$95.96
30227693	1.5" British Instantaneous coupling hose ID 1.5", brass	\$126.10
30226232	2.5" British instantaneous coupling hose ID 1.5"	\$109.90
40339495	2.5" British instantaneous coupling hose ID 1.5", brass	\$130.40
30245233	2.5 British instantaneous coupling hose ID 1.75	\$35.12
40074993	2.5" British instantaneous coupling hose ID 1.75", brass	\$144.45
30203733	2.5" British instantaneous coupling hose ID 2.5"	\$51.42
40144693	2.5" British instantaneous coupling hose ID 2.5", brass	\$149.33
60654333	2.5" British instantaneous coupling hose ID 3"	\$145.78



Adapters

AWG NH adapters available from 1" to 6". NH adapters are hard coated anodized to military spec "type 3" and made from aircraft #6061-t light weight aluminium. AWG Storz adapters available from 1" to 12". All AWG adapters provide the necessary safety features for municipal fire fighting. Storz adapters 4" and larger feature a locking mechanism. British instantaneous adapters, and other European adapters are available upon request.

NH adapter list

Rocker Lug Double Swivel Female											
	1"	1.5"	2"	2.5"	3"	3.5"	4"	4.5"	5"	6"	
1 "	75049235										
	\$27.68										
1.5"	75049335	75049435									
	\$48.73	\$34.58									
2 "		75049535	75049635								
		\$48.16	\$48.16								
2.5"		75049735	75049835	75049935							
		\$54.34	\$53.11	\$46.25							
3 "				75050035	75050135						
				\$101.02	\$83.86						
3.5"				75050235	75050335	75050435					
				\$136.71	\$148.58	\$136.71					
4 "				75050535	75050635	75050735	75050835				
				\$139.08	\$161.88	\$167.88	\$174.12				
4.5"				75050935	75051035	75051135	75051235	75051335			
				\$176.86	\$184.70	\$179.87	\$173.54	\$155.90			
5 "				75051435	75051535	75051635	75051735	75051835	75051935		
				\$207.75	\$228.71	\$232.38	\$263.52	\$254.31	\$252.91		
6 "				75052035	75052135	75052235	75052335	75052435	75052535	75052635	
				\$359.73	\$335.74	\$327.36	\$322.55	\$327.13	\$294.61	\$265.44	



Long Handle Double Swivel Female											
	1"	1.5"	2"	2.5"	3"	3.5"	4"	4.5"	5"	6"	
1 "											
1.5"											
2 "											
2.5"				75081535							
				\$79.51							
3 "				75081635	75081735						
				\$125.90	\$117.52						
3.5"				75081835	75081935	75082035					
				\$179.87	\$200.26	\$193.05					
4 "				75082135	75082235	75082335	75082435				
				\$192.56	\$230.23	\$251.82	\$205.03				
4.5"				75082535	75082635	75082735	75082835	75082935			
				\$172.94	\$235.21	\$279.02	\$213.30	\$252.51			
5 "				75083035	75083135	75083235	75083335	75083435	75083535		
				\$250.74	\$251.37	\$280.17	\$247.88	\$268.67	\$317.92		
6 "				75083635	75083735	75083835	75083935	75084035	75084135	75084235	
				\$357.10	\$333.59	\$351.67	\$313.43	\$319.03	\$354.84	\$361.56	



Rocker Lug Double Male											
	GHT	1"	1.5"	2"	2.5"	3"	3.5"	4"	4.5"	5"	6"
1 "	75084335	75084435									
	\$20.99	\$23.45									
1.5"	75084535	75084635	75084735								
	\$46.62	\$44.27	\$18.53								
2 "	75084835	75084935	75085035	75085135							
	\$46.62	\$44.47	\$35.81	\$37.04							
2.5"	75085235	75085335	75085435	75085535	75085635						
	\$46.93	\$44.47	\$39.07	\$53.34	\$25.94						
3 "				75085735	75085835	75085935					
				\$98.33	\$69.56	\$64.75					
3.5"						75086035	75086135	75086235			
						\$96.95	\$125.90	\$106.71			
4 "						75086335	75086435	75086535	75086635		
						\$109.54	\$147.49	\$124.70	\$118.72		
4.5"						75086735	75086835	75086935	75087035	75087135	
						\$121.12	\$145.09	\$137.88	\$163.08	\$129.50	
5 "						75087235	75087335	75087435	75087535	75087635	75087735
						\$254.20	\$332.16	\$315.37	\$169.08	\$172.66	\$141.51
6 "								75087835	75087935	75088035	75088135
								\$211.04	\$203.83	\$167.88	\$228.57




Rigid Rocker Lug Female To Male Adapter												
	GHT -m	1"-m	1.5"-m	2"-m	2.5"-m	3"-m	3.5"-m	4"-m	4.5"-m	5"-m	6"-m	
GHT - f	75088235	75088335	75088435	75088535	75088635							
	\$17.30	\$23.91	\$27.17	\$41.98	\$44.47							
1 "- f	75088735	75088835	75088935	75089035	75089135							
	\$20.74	\$23.34	\$27.17	\$43.21	\$43.21							
1.5"- f	75089235	75089335	75089435	75089535	75089635	75089735						
	\$28.40	\$27.17	\$25.94	\$27.17	\$30.43	\$92.32						
2 "- f	75089835	75089935	75090035	75090135	75090235	75090335						
	\$45.70	\$41.98	\$30.43	\$41.98	\$45.39	\$94.72						
2.5"- f	75090435	75090535	75090635	75090735	75090835	75090935	75091035	75091135	75091235	75091335	75091435	
	\$51.88	\$50.65	\$29.60	\$37.04	\$32.72	\$58.74	\$70.76	\$127.10	\$133.28	\$154.44	\$222.14	
3 "- f			75091535	75091635	75091735	75091835	75091935	75092035	75092135	75092235	75092335	
			\$90.66	\$98.33	\$68.35	\$66.18	\$145.09	\$155.90	\$189.45	\$211.04	\$226.63	
3.5"- f						75092435	75092535	75092635	75092735	75092835	75092935	75093035
						\$73.13	\$148.69	\$125.90	\$154.84	\$176.95	\$183.47	\$251.82
4 "- f						75093135	75093235	75093335	75093435	75093535	75093635	75093735
						\$124.55	\$158.27	\$159.47	\$143.20	\$185.10	\$207.46	\$272.19
4.5"- f						75093835	75093935	75094035	75094135	75094235	75094335	75094435
						\$144.12	\$181.01	\$175.26	\$164.88	\$179.09	\$222.77	\$275.36
5 "- f						75094535	75094635	75094735	75094835	75094935	75095035	75095135
						\$181.01	\$182.18	\$193.71	\$179.87	\$211.55	\$202.92	\$307.85
6 "- f						75095235	75095335	75095435	75095535	75095635	75095735	75095835
						\$377.23	\$358.22	\$364.94	\$250.19	\$268.64	\$254.80	\$341.43






Rocker Lug Swivel Female To Male

	1"-m	1.5"-m	2"-m	2.5"-m	3"-m	3.5"-m	4"-m	4.5"-m	5"-m	6"-m																										
1 "- f																																				
1.5"- f	<table border="1"> <tr> <td>75095935</td> <td>75096035</td> <td>75096135</td> <td colspan="9"></td> </tr> <tr> <td>\$41.98</td> <td>\$48.16</td> <td>\$56.80</td> <td colspan="9"></td> </tr> </table>											75095935	75096035	75096135										\$41.98	\$48.16	\$56.80										
75095935	75096035	75096135																																		
\$41.98	\$48.16	\$56.80																																		
2 "- f	<table border="1"> <tr> <td>75096235</td> <td>75096335</td> <td>75096435</td> <td colspan="9"></td> </tr> <tr> <td>\$48.16</td> <td>\$50.65</td> <td>\$80.28</td> <td colspan="9"></td> </tr> </table>											75096235	75096335	75096435										\$48.16	\$50.65	\$80.28										
75096235	75096335	75096435																																		
\$48.16	\$50.65	\$80.28																																		
2.5"- f	<table border="1"> <tr> <td>75096535</td> <td>75096635</td> <td>75096735</td> <td>75096835</td> <td>75096935</td> <td>75097035</td> <td>75097135</td> <td>75097235</td> <td>75097335</td> <td colspan="3"></td> </tr> <tr> <td>\$53.11</td> <td>\$82.74</td> <td>\$86.46</td> <td>\$118.72</td> <td>\$145.09</td> <td>\$129.50</td> <td>\$189.45</td> <td>\$344.14</td> <td>\$417.27</td> <td colspan="3"></td> </tr> </table>											75096535	75096635	75096735	75096835	75096935	75097035	75097135	75097235	75097335				\$53.11	\$82.74	\$86.46	\$118.72	\$145.09	\$129.50	\$189.45	\$344.14	\$417.27				
75096535	75096635	75096735	75096835	75096935	75097035	75097135	75097235	75097335																												
\$53.11	\$82.74	\$86.46	\$118.72	\$145.09	\$129.50	\$189.45	\$344.14	\$417.27																												
3 "- f	<table border="1"> <tr> <td colspan="3"></td> <td>75097435</td> <td>75097535</td> <td>75097635</td> <td>75097735</td> <td>75097835</td> <td>75097935</td> <td>75098035</td> <td colspan="2"></td> </tr> <tr> <td colspan="3"></td> <td>\$121.12</td> <td>\$109.11</td> <td>\$178.66</td> <td>\$232.63</td> <td>\$256.60</td> <td>\$323.75</td> <td>\$394.51</td> <td colspan="2"></td> </tr> </table>														75097435	75097535	75097635	75097735	75097835	75097935	75098035						\$121.12	\$109.11	\$178.66	\$232.63	\$256.60	\$323.75	\$394.51			
			75097435	75097535	75097635	75097735	75097835	75097935	75098035																											
			\$121.12	\$109.11	\$178.66	\$232.63	\$256.60	\$323.75	\$394.51																											
3.5"- f	<table border="1"> <tr> <td colspan="3"></td> <td>75098135</td> <td>75098235</td> <td>75098335</td> <td>75098435</td> <td>75098535</td> <td>75098635</td> <td>75098735</td> <td colspan="2"></td> </tr> <tr> <td colspan="3"></td> <td>\$147.49</td> <td>\$179.87</td> <td>\$209.84</td> <td>\$299.79</td> <td>\$340.54</td> <td>\$376.52</td> <td>\$513.23</td> <td colspan="2"></td> </tr> </table>														75098135	75098235	75098335	75098435	75098535	75098635	75098735						\$147.49	\$179.87	\$209.84	\$299.79	\$340.54	\$376.52	\$513.23			
			75098135	75098235	75098335	75098435	75098535	75098635	75098735																											
			\$147.49	\$179.87	\$209.84	\$299.79	\$340.54	\$376.52	\$513.23																											
4 "- f		<table border="1"> <tr> <td colspan="3"></td> <td>75098835</td> <td>75098935</td> <td>75099035</td> <td>75099135</td> <td>75099235</td> <td>75099335</td> <td>75099435</td> <td colspan="2"></td> </tr> <tr> <td colspan="3"></td> <td>\$211.78</td> <td>\$229.03</td> <td>\$270.99</td> <td>\$254.20</td> <td>\$300.99</td> <td>\$407.69</td> <td>\$414.90</td> <td colspan="2"></td> </tr> </table>														75098835	75098935	75099035	75099135	75099235	75099335	75099435						\$211.78	\$229.03	\$270.99	\$254.20	\$300.99	\$407.69	\$414.90		
			75098835	75098935	75099035	75099135	75099235	75099335	75099435																											
			\$211.78	\$229.03	\$270.99	\$254.20	\$300.99	\$407.69	\$414.90																											
4.5"- f		<table border="1"> <tr> <td colspan="3"></td> <td>75099535</td> <td>75099635</td> <td>75099735</td> <td>75099835</td> <td>75099935</td> <td>75100035</td> <td>75100135</td> <td colspan="2"></td> </tr> <tr> <td colspan="3"></td> <td>\$213.30</td> <td>\$244.44</td> <td>\$319.38</td> <td>\$270.96</td> <td>\$275.56</td> <td>\$393.16</td> <td>\$466.95</td> <td colspan="2"></td> </tr> </table>														75099535	75099635	75099735	75099835	75099935	75100035	75100135						\$213.30	\$244.44	\$319.38	\$270.96	\$275.56	\$393.16	\$466.95		
			75099535	75099635	75099735	75099835	75099935	75100035	75100135																											
			\$213.30	\$244.44	\$319.38	\$270.96	\$275.56	\$393.16	\$466.95																											
5 "- f	<table border="1"> <tr> <td colspan="3"></td> <td>75100235</td> <td>75100335</td> <td>75100435</td> <td>75100535</td> <td>75100635</td> <td>75100735</td> <td>75100835</td> <td colspan="2"></td> </tr> <tr> <td colspan="3"></td> <td>\$267.50</td> <td>\$272.10</td> <td>\$325.12</td> <td>\$357.41</td> <td>\$395.48</td> <td>\$441.58</td> <td>\$423.14</td> <td colspan="2"></td> </tr> </table>														75100235	75100335	75100435	75100535	75100635	75100735	75100835						\$267.50	\$272.10	\$325.12	\$357.41	\$395.48	\$441.58	\$423.14			
			75100235	75100335	75100435	75100535	75100635	75100735	75100835																											
			\$267.50	\$272.10	\$325.12	\$357.41	\$395.48	\$441.58	\$423.14																											
6 "- f	<table border="1"> <tr> <td colspan="3"></td> <td>75100935</td> <td>75101035</td> <td>75101135</td> <td>75101235</td> <td>75101335</td> <td>75101435</td> <td>75101535</td> <td colspan="2"></td> </tr> <tr> <td colspan="3"></td> <td>\$445.04</td> <td>\$499.24</td> <td>\$481.94</td> <td>\$388.45</td> <td>\$455.60</td> <td>\$423.14</td> <td>\$472.39</td> <td colspan="2"></td> </tr> </table>														75100935	75101035	75101135	75101235	75101335	75101435	75101535						\$445.04	\$499.24	\$481.94	\$388.45	\$455.60	\$423.14	\$472.39			
			75100935	75101035	75101135	75101235	75101335	75101435	75101535																											
			\$445.04	\$499.24	\$481.94	\$388.45	\$455.60	\$423.14	\$472.39																											

Rocker Lug Swivel Female To Rigid Rocker Lug Female

	1"	1.5"	2"	2.5"	3"	3.5"	4"	4.5"	5"	6"																										
1 "																																				
1.5"	<table border="1"> <tr> <td>75070735</td> <td>75070835</td> <td>75070935</td> <td colspan="9"></td> </tr> <tr> <td>\$41.16</td> <td>\$48.65</td> <td>\$60.37</td> <td colspan="9"></td> </tr> </table>											75070735	75070835	75070935										\$41.16	\$48.65	\$60.37										
75070735	75070835	75070935																																		
\$41.16	\$48.65	\$60.37																																		
2 "	<table border="1"> <tr> <td>75071035</td> <td>75071135</td> <td>75071235</td> <td colspan="9"></td> </tr> <tr> <td>\$52.68</td> <td>\$52.68</td> <td>\$82.23</td> <td colspan="9"></td> </tr> </table>											75071035	75071135	75071235										\$52.68	\$52.68	\$82.23										
75071035	75071135	75071235																																		
\$52.68	\$52.68	\$82.23																																		
2.5"	<table border="1"> <tr> <td>75071335</td> <td>75071435</td> <td>75071535</td> <td>75071635</td> <td>75071735</td> <td>75071835</td> <td>75071935</td> <td>75072035</td> <td>75072135</td> <td colspan="3"></td> </tr> <tr> <td>\$70.64</td> <td>\$84.77</td> <td>\$89.92</td> <td>\$119.86</td> <td>\$145.09</td> <td>\$131.90</td> <td>\$185.87</td> <td>\$323.75</td> <td>\$390.90</td> <td colspan="3"></td> </tr> </table>											75071335	75071435	75071535	75071635	75071735	75071835	75071935	75072035	75072135				\$70.64	\$84.77	\$89.92	\$119.86	\$145.09	\$131.90	\$185.87	\$323.75	\$390.90				
75071335	75071435	75071535	75071635	75071735	75071835	75071935	75072035	75072135																												
\$70.64	\$84.77	\$89.92	\$119.86	\$145.09	\$131.90	\$185.87	\$323.75	\$390.90																												
3 "	<table border="1"> <tr> <td colspan="3"></td> <td>75072235</td> <td>75072335</td> <td>75072435</td> <td>75072535</td> <td>75072635</td> <td>75072735</td> <td>75072835</td> <td colspan="2"></td> </tr> <tr> <td colspan="3"></td> <td>\$121.12</td> <td>\$113.91</td> <td>\$176.26</td> <td>\$227.83</td> <td>\$245.82</td> <td>\$304.56</td> <td>\$363.36</td> <td colspan="2"></td> </tr> </table>														75072235	75072335	75072435	75072535	75072635	75072735	75072835						\$121.12	\$113.91	\$176.26	\$227.83	\$245.82	\$304.56	\$363.36			
			75072235	75072335	75072435	75072535	75072635	75072735	75072835																											
			\$121.12	\$113.91	\$176.26	\$227.83	\$245.82	\$304.56	\$363.36																											
3.5"	<table border="1"> <tr> <td colspan="3"></td> <td>75072935</td> <td>75073035</td> <td>75073135</td> <td>75073235</td> <td>75073335</td> <td>75073435</td> <td>75073535</td> <td colspan="2"></td> </tr> <tr> <td colspan="3"></td> <td>\$145.09</td> <td>\$176.26</td> <td>\$202.66</td> <td>\$283.00</td> <td>\$321.35</td> <td>\$338.14</td> <td>\$471.24</td> <td colspan="2"></td> </tr> </table>														75072935	75073035	75073135	75073235	75073335	75073435	75073535						\$145.09	\$176.26	\$202.66	\$283.00	\$321.35	\$338.14	\$471.24			
			75072935	75073035	75073135	75073235	75073335	75073435	75073535																											
			\$145.09	\$176.26	\$202.66	\$283.00	\$321.35	\$338.14	\$471.24																											
4 "		<table border="1"> <tr> <td colspan="3"></td> <td>75073635</td> <td>75073735</td> <td>75073835</td> <td>75073935</td> <td>75074035</td> <td>75074135</td> <td>75074235</td> <td colspan="2"></td> </tr> <tr> <td colspan="3"></td> <td>\$147.49</td> <td>\$201.46</td> <td>\$285.37</td> <td>\$247.02</td> <td>\$291.38</td> <td>\$388.50</td> <td>\$393.31</td> <td colspan="2"></td> </tr> </table>														75073635	75073735	75073835	75073935	75074035	75074135	75074235						\$147.49	\$201.46	\$285.37	\$247.02	\$291.38	\$388.50	\$393.31		
			75073635	75073735	75073835	75073935	75074035	75074135	75074235																											
			\$147.49	\$201.46	\$285.37	\$247.02	\$291.38	\$388.50	\$393.31																											
4.5"	<table border="1"> <tr> <td colspan="3"></td> <td>75074335</td> <td>75074435</td> <td>75074535</td> <td>75074635</td> <td>75074735</td> <td>75074835</td> <td>75074935</td> <td colspan="2"></td> </tr> <tr> <td colspan="3"></td> <td>\$206.38</td> <td>\$236.35</td> <td>\$304.39</td> <td>\$260.57</td> <td>\$266.35</td> <td>\$374.72</td> <td>\$441.58</td> <td colspan="2"></td> </tr> </table>														75074335	75074435	75074535	75074635	75074735	75074835	75074935						\$206.38	\$236.35	\$304.39	\$260.57	\$266.35	\$374.72	\$441.58			
			75074335	75074435	75074535	75074635	75074735	75074835	75074935																											
			\$206.38	\$236.35	\$304.39	\$260.57	\$266.35	\$374.72	\$441.58																											
5 "	<table border="1"> <tr> <td colspan="3"></td> <td>75075035</td> <td>75075135</td> <td>75075235</td> <td>75075335</td> <td>75075435</td> <td>75075535</td> <td>75075635</td> <td colspan="2"></td> </tr> <tr> <td colspan="3"></td> <td>\$308.99</td> <td>\$261.72</td> <td>\$308.99</td> <td>\$334.36</td> <td>\$373.57</td> <td>\$417.39</td> <td>\$410.47</td> <td colspan="2"></td> </tr> </table>														75075035	75075135	75075235	75075335	75075435	75075535	75075635						\$308.99	\$261.72	\$308.99	\$334.36	\$373.57	\$417.39	\$410.47			
			75075035	75075135	75075235	75075335	75075435	75075535	75075635																											
			\$308.99	\$261.72	\$308.99	\$334.36	\$373.57	\$417.39	\$410.47																											
6 "	<table border="1"> <tr> <td colspan="3"></td> <td>75075735</td> <td>75075835</td> <td>75075935</td> <td>75076035</td> <td>75076135</td> <td>75076235</td> <td>75076335</td> <td colspan="2"></td> </tr> <tr> <td colspan="3"></td> <td>\$418.53</td> <td>\$448.51</td> <td>\$453.11</td> <td>\$375.86</td> <td>\$440.44</td> <td>\$409.32</td> <td>\$454.28</td> <td colspan="2"></td> </tr> </table>														75075735	75075835	75075935	75076035	75076135	75076235	75076335						\$418.53	\$448.51	\$453.11	\$375.86	\$440.44	\$409.32	\$454.28			
			75075735	75075835	75075935	75076035	75076135	75076235	75076335																											
			\$418.53	\$448.51	\$453.11	\$375.86	\$440.44	\$409.32	\$454.28																											

Swivel Long Handle Female To Male											
	1"-m	1.5"-m	2"-m	2.5"-m	3"-m	3.5"-m	4"-m	4.5"-m	5"-m	6"-m	
2.5"- f				75101635	75101735	75101835	75101935	75102035	75102135	75102235	
				\$101.27	\$131.90	\$158.27	\$158.27	\$203.83	\$329.76	\$424.48	
3 "- f				75102335	75102435	75102535	75102635	75102735	75102835	75102935	
				\$133.10	\$122.29	\$193.05	\$249.42	\$268.61	\$332.16	\$395.71	
3.5"- f				75103035	75103135	75103235	75103335	75103435	75103535	75103635	
				\$161.88	\$195.45	\$226.63	\$315.37	\$356.13	\$389.70	\$524.01	
4 "- f				75103735	75103835	75103935	75104035	75104135	75104235	75104335	
				\$187.07	\$329.47	\$309.37	\$272.19	\$317.77	\$420.88	\$415.62	
4.5"- f				75104435	75104535	75104635	75104735	75104835	75104935	75105035	
				\$217.16	\$258.26	\$341.28	\$283.63	\$289.40	\$407.01	\$479.65	
5 "- f				75105135	75105235	75105335	75105435	75105535	75105635	75105735	
				\$333.22	\$285.94	\$335.51	\$364.34	\$404.69	\$455.43	\$456.60	
6 "- f	75105835	75105935	75106035	75106135	75106235	75106335	75106435				
	\$455.43	\$485.40	\$492.32	\$409.32	\$488.86	\$454.48	\$479.11				

Rigid Long Handle Female To Male											
	1"-m	1.5"-m	2"-m	2.5"-m	3"-m	3.5"-m	4"-m	4.5"-m	5"-m	6"-m	
2.5"- f				75106535	75106635	75106735	75106835	75106935	75107035	75107135	
				\$101.27	\$98.33	\$113.91	\$172.66	\$187.07	\$276.99	\$339.34	
3 "- f				75107235	75107335	75107435	75107535	75107635	75107735	75107835	
				\$110.31	\$107.91	\$190.65	\$188.25	\$231.43	\$254.20	\$332.16	
3.5"- f				75107935	75108035	75108135	75108235	75108335	75108435	75108535	
				\$117.52	\$185.87	\$173.86	\$211.04	\$233.83	\$230.23	\$315.37	
4 "- f				75108635	75108735	75108835	75108935	75109035	75109135	75109235	
				\$167.88	\$202.66	\$203.83	\$189.45	\$232.63	\$251.82	\$315.37	
4.5"- f				75109335	75109435	75109535	75109635	75109735	75109835	75109935	
				\$176.86	\$222.54	\$322.38	\$205.23	\$223.68	\$270.96	\$322.84	
5 "- f				75110035	75110135	75110235	75110335	75110435	75110535	75110635	
				\$229.46	\$291.03	\$238.44	\$214.93	\$250.74	\$308.99	\$364.34	
6 "- f	75110735	75110835	75110935	75111035	75111135	75111235	75111335				
	\$430.06	\$405.86	\$395.48	\$289.40	\$308.99	\$352.81	\$393.16				

Swivel Long Handle Female To Rigid Rocker Lug Female												
	1" RL	1.5" RL	2" RL	2.5" RL	3" RL	3.5" RL	4" RL	4.5" RL	5" RL	6" RL		
2.5" LH				75076435	75076535	75076635	75076735	75076835	75076935	75077035	75077135	75077235
				\$75.33	\$87.69	\$92.64	\$121.12	\$153.38	\$134.68	\$197.03	\$351.67	\$426.51
3 " LH				75077335	75077435	75077535	75077635	75077735	75077835	75077935		
				\$127.21	\$115.97	\$188.30	\$243.19	\$261.89	\$255.66	\$404.06		
3.5" LH				75078035	75078135	75078235	75078335	75078435	75078535	75078635		
				\$153.38	\$181.61	\$218.25	\$311.77	\$354.18	\$387.84	\$525.01		
4 " LH				75078735	75078835	75078935	75079035	75079135	75079235	75079335		
				\$155.87	\$215.76	\$303.90	\$268.13	\$319.26	\$418.93	\$437.72		
4.5" LH				75079435	75079535	75079635	75079735	75079835	75079935	75080035		
				\$215.62	\$247.88	\$323.98	\$274.42	\$282.48	\$388.45	\$434.66		
5 " LH				75080135	75080235	75080335	75080435	75080535	75080635	75080735		
				\$269.81	\$276.73	\$328.61	\$357.41	\$387.30	\$435.44	\$425.37		
6 " LH	75080835	75080935	75081035	75081135	75081235	75081335	75081435					
	\$427.60	\$472.73	\$477.33	\$401.23	\$464.66	\$418.65	\$464.55					



Storz to NH Adapters



Storz To NH Female Rigid								
		NH						
		2.5"	3"	3.5"	4"	4.5"	5"	6"
Storz	2.5"	30303437	75121531					
		\$77.27	\$69.85					
	3"	40342437	75121637					
		\$83.10	\$71.95					
	4"	75025437	75024037	75025237	75025337	75116537	75121737	75041937
		\$110.27	\$115.20	\$119.37	\$129.23	\$155.15	\$178.15	\$220.37
	5"	75121837	75122137	75122237	75122537	75029837	75035837	75122737
		\$182.33	\$193.10	\$196.37	\$199.91	\$201.95	\$206.34	\$245.16
	6"	75122937	75123137	75123337	75123537	75123737	75123937	75124137
		\$282.60	\$285.30	\$287.92	\$229.50	\$267.32	\$281.50	\$285.73



Storz To NH Male Rigid								
		NH						
		2.5"	3"	3.5"	4"	4.5"	5"	6"
Storz	2.5"	60162031	75116133					
		\$48.90	\$56.48					
	3"	40342337	40397637					
		\$78.09	\$72.40					
	4"	75132237	75124437	75124537	75116437	75116537	75124637	75118637
		\$135.48	\$145.32	\$152.33	\$141.61	\$155.15	\$174.69	\$154.73
	5"	75032737	75124837	75125037	75033337	75125137	75116337	75114937
		\$168.00	\$164.48	\$195.37	\$183.80	\$185.23	\$178.20	\$187.19
	6"	75125337	75125537	75125737	75125937	75126137	75126337	75126537
		\$309.95	\$313.90	\$313.90	\$305.75	\$286.95	\$279.73	\$279.83



Storz To NH Female Swivel Rocker Lug								
		NH						
		2.5"	3"	3.5"	4"	4.5"	5"	6"
Storz	2.5"	75127033	75127233					
		\$79.08	\$101.35					
	3"	75030537	75127337					
		\$104.71	\$102.35					
	4"	75127437	75127537	75127637	75127737	75127837	75128037	75120037
		\$147.95	\$158.87	\$186.35	\$188.43	\$206.85	\$226.42	\$246.66
	5"	75032337	75128237	75128437	75033437	75032237	75039737	75036137
		\$151.68	\$238.85	\$229.31	\$195.43	\$190.95	\$212.48	\$240.24
	6"	75128637	75128837	75129037	75129237	75129437	75129637	75129837
		\$314.86	\$332.76	\$354.33	\$266.98	\$267.23	\$281.37	\$288.43



Storz To NH Female Swivel Long Handle								
		NH						
		2.5"	3"	3.5"	4"	4.5"	5"	6"
Storz	2.5"	75130533	75130733					
		\$102.84	\$114.08					
	3"	75130937	75131137					
		\$118.06	\$128.08					
	4"	75131337	75131537	75131737	75131937	75132137	75132337	75132537
		\$184.32	\$191.87	\$209.98	\$216.29	\$221.34	\$229.31	\$276.20
	5"	75132737	75132937	75133137	75037937	75038337	75038237	75133337
		\$199.65	\$225.55	\$230.04	\$224.84	\$226.27	\$241.41	\$285.38
	6"	75133537	75133737	75133937	75134137	75134337	75134537	75134737
		\$316.26	\$345.50	\$351.72	\$306.21	\$329.94	\$338.27	\$371.40



Storz To Storz Rigid									
		Storz							
		2.5"	3"	4"	5"	6"			
Storz	3"	40045933							
		\$97.90							
	4"	75132433	75118433						
		\$153.34	\$159.63						
	5"	75135033	75135133			75025633			
		\$164.74	\$160.42			\$198.16			
	6"	75135233	75135333			75121233			75038833
		\$258.21	\$261.52			\$265.13			\$314.33

Elbows with Pressure Relief Valve



25 Degree Elbows Storz to Female RL with PRV								
		NH						
		2.5"	3"	3.5"	4"	4.5"	5"	6"
Storz	4"	75112533	75112633	75112733	75112833	75112933	75113033	75113133
		\$719.00	\$738.00	\$746.00	\$762.00	\$775.00	\$796.00	\$826.00
	5"	75113233	75113333	75113433	75113533	75113633	75113733	75113833
		\$828.00	\$847.00	\$855.00	\$871.00	\$884.00	\$905.00	\$935.00
	6"	75113933	75114033	75114133	75114233	75114333	75114433	75114533
		1,029.00	1,048.00	1,056.00	1,072.00	1,085.00	1,106.00	1,136.00

25 Degree Elbow Storz To Storz Swivel With PRV									
		2.5"	3"	3.5"	4"	4.5"	5"	6"	
	4"				75115133			75115633	
					\$845.00			\$878.00	
	5"				75115233			75115333	
					\$954.00			\$987.00	
	6"				75115433			75115533	
					\$1,155.00			\$1,188.00	



Storz Permanent Hydrant Adapters

Hydrant Storz adapters, with metal face, permanently changes main hydrant outlet from threads to Storz. Includes hard anodized adapter, metal face and cap with chain and stainless steel set screw to prevent unscrewing from the hydrant. Specify the hydrant thread size and Storz size.

Part Number	Description	List Price
75019835	4" Storz x 4.5" NH FM with blind cap and set screws, anodized	\$185.00
75019935	5" Storz x 4.5" NH FM with blind cap and set screws, anodized	\$196.00



Storz Hydrant Adapters

Part Number	Description	List Price
75020040	4" Storz x 4.5" NH FM SW LH, anodized	\$213.00
75020140	5" Storz x 4.5" NH FM SW LH, anodized	\$222.00



Storz Adapters x BSP Female

AWG Forged Storz heads provide maximum strength. Tested to a rated pressure of 240 PSI. No hidden imperfections like those found in cast couplings. Available 1" to 12". All couplings 4" and larger include stainless steel lock.

Part Number	Description	List Price
40170531	1" Storz x 1" BSP FM, pressure/suction	\$18.04
40170591	1" Storz x 1" BSP FM, pressure/suction, brass	\$22.00
50035131	1.5" Storz x 1.5" BSP FM, pressure/suction use	\$20.25
50035191	1.5" Storz x 1.5" BSP FM, high pressure (600 PSI), brass	\$63.40
40270831	1.5" Storz x 2" BSP FM, pressure/suction	\$33.08
50090131	1.75" Storz x 2" BSP FM	\$29.20
40251331	2" Storz x 1.5" BSP FM	\$19.10
40251391	2" Storz x 1.5" BSP FM, brass	\$60.30
30000131	2" Storz x 2" BSP FM	\$16.30
30162491	2" Storz x 2" BSP FM, brass	\$46.14
40252231	2.5" Storz x 2" BSP FM	\$24.82
40252237	2.5" Storz x 2" BSP FM, anodized	\$34.70
30055431	2.5" Storz x 2.5" BSP FM	\$25.40
30198531	2.5" Storz x 2.5" BSP FM, pressure/suction	\$27.40
30308633	2.5" Storz x 2.5" BSP FM, with lock	\$51.40
30000631	3" Storz x 2.5" BSP FM	\$22.68
30311533	3" Storz x 2.5" BSP FM, with lock	\$48.90
30162591	3" Storz x 2.5" BSP FM, brass	\$51.10
40120031	3" Storz x 3" BSP FM	\$21.50
40120037	3" Storz x 3" BSP FM, anodized	\$30.10
60470837	4" Storz x 4" BSP FM, with lock, anodized	\$82.90
20097031	4.33" Storz x 4" BSP FM without lock, pressure/suction	\$54.40
30314533	4.33" Storz x 4" BSP FM with lock pressure/suction	\$94.50
40112995	4.33" Storz x 4" BSP FM without lock, pressure/suction, brass	\$341.85
75022337	5" Storz x 4" BSP FM with lock, anodized	\$177.00
60470637	5" Storz x 5" BSP FM with lock, anodized	\$89.10
30381637	5" Storz FTS x 5" BSP FM with lock, anodized	\$342.16
75026437	6" Storz x 4" BSP FM, anodized with lock	\$378.20
75025837	6" Storz x 5" BSP FM, anodized with lock	\$338.20
30175431	6" Storz x 6" BSP FM, pressure/suction	\$126.00
30312033	6" Storz x 6" BSP FM, with lock	\$156.60
75022737	6" Storz x 6" BSP FM, with lock, anodized	\$162.11
30312033	6" Storz x 6" BSP FM	\$156.60
30312093	6" Storz x 6" BSP FM, brass with lock	\$770.10

75022737	6" Storz x 6" BSP FM, anodized with lock	\$154.80
10074101	8" Storz x 8" BSP FM, pressure/suction with lock	\$649.39
10074101	8" Storz x 8" BSP FM with lock, pressure/suction	\$649.39
10077704	10" Jumbo Storz with lock x 10" BSP FM with 3 lugs	Upon request
10077532	12" Jumbo Storz x 12" BSP FM with 3 lugs with lock	Upon request

Storz Adapters x BSP Male

Part Number	Description	List Price
50194533	2" Storz x 2" BSP M SW	\$32.00
30156731	2.5" Storz x 2.5" BSP M	\$32.67
40153031	2.5" Storz x 3" BSP M	\$46.65
50194833	3" Storz x 2.5" BSP M SW	\$38.40
40108631	3" Storz x 2.5" BSP M	\$21.72
40108691	3" Storz x 2.5" BSP M, brass	\$112.63
60610233	4" Storz x 4" BSP M SW	\$122.00
60486437	4" Storz x 4" BSP M SW with lock, anodized	\$175.68
60610633	5" Storz x 4" BSP M SW with lock	\$260.30
60503733	5" Storz x 5" BSP M SW with lock	\$366.50



Storz Adapters x NPSH, NPT Adapters

Part Number	Description	List Price
40398331	1" Storz x 1" NPT FM, pressure/suction	\$34.27
40397337	2" Storz x 2" NPSH M, anodized	\$576.90
50312631	2.5" Storz x 2.5" NPT FM	\$70.66
40392931	3" Storz x 3" NPSH FM	\$55.75
60571933	4" Storz x 4" NPT FM with lock	\$56.06
60571937	4" Storz x 4" NPT FM with lock, anodized	\$74.28
75021633	5" Storz x 4" NPT FM with lock	\$133.60
75021637	5" Storz x 4" NPT FM with lock, anodized	\$146.73
75033137	5" with lock x 5" NPT female rigid rocker lug, anodized	\$219.71
30314631	5" Storz x 5" NPT FM without lock	\$282.38
75033193	5" Storz x 5" NPT FM with lock, brass	\$671.70
30314692	5" Storz x 5" NPT FM without lock, brass	\$466.08
30341633	6" Storz x 6" NPT FM with lock	\$206.54
75137133	8" Storz x 8" NPT FM with lock	\$618.75
75118133	8" Storz x 8" NPT Male with lock	\$659.90



NH Plugs

Part Number	Description	List Price
75008435	NH plug 1.5" rocker lug w/ chain, hard anodized	\$22.91
75008535	NH plug 2.5" rocker lug w/ chain, hard anodized	\$40.04
75008635	NH plug 4" rocker lug w/ chain, hard anodized	\$97.13
75008735	NH plug 4.5" rocker lug w/ chain, hard anodized	\$121.49
75008835	NH plug 5" rocker lug w/ chain, hard anodized	\$128.53
75008935	NH plug 6" rocker lug w/ chain, hard anodized	\$176.58





NH Blind Caps		
Part Number	Description	List Price
75007935	NH blind cap 1.5" rocker lug w/ chain, hard anodized	\$23.48
75008035	NH blind cap 2.5" rocker lug w/ chain, hard anodized	\$35.75
30179135	NH blind cap 4" rocker lug w/ chain, hard anodized	\$85.80
75008135	NH blind cap 4.5" rocker lug w/ chain, hard anodized	\$92.01
75008135	NH blind cap 5" rocker lug w/ chain, hard anodized	\$109.54
75002335	NH blind cap 6" rocker lug w/ chain, hard anodized	\$166.42



Storz Blind Caps		
Storz Blind caps, "forged" aluminium for added strength, no hidden imperfections as with cast couplings, for sealing of open end applications and hoses. Working pressure of 240 PSI. Please specify size 1" - 12".		
Part Number	Description	List Price
40241433	1" Storz blind cap	\$10.98
40247333	1.5" Storz blind cap, pressure/suction	\$19.10
40247393	1.5" Storz blind cap, pressure/suction, brass	\$42.40
40247633	2" Storz blind cap, pressure/suction	\$15.89
40247637	2" Storz blind cap, pressure/suction, anodized	\$22.63
60139293	2" Storz blind cap without chain, pressure/suction, brass	\$54.66
40247733	2.5" Storz blind cap	\$23.50
60362933	2.5" Storz blind cap with lock and key	\$129.85
60316033	2.5" Storz blind cap with triangular boss and round thread 60 x 1/6	\$25.48
40247833	3" Storz blind cap, pressure/suction	\$19.51
40247837	3" Storz blind cap, pressure/suction, anodized	\$58.25
40229593	3" Storz blind cap, pressure/suction, brass	\$100.12
40244836	3" Storz blind cap, chrome plated	\$67.69
40248033	4" Storz blind cap	\$46.55
60210301	4" Storz blind cap, pressure/suction	\$55.00
60210337	4" Storz blind cap, pressure/suction, anodized	\$63.75
40248193	4" Storz blind cap, brass	\$306.80
40248733	4.33" Storz blind cap, pressure/suction	\$47.43
40248737	4.33" Storz blind cap, pressure/suction, anodized	\$66.39
40249093	4.33" Storz blind cap, pressure/suction, brass	\$251.32
40249533	5" Storz blind cap, pressure/suction	\$81.33
40249537	5" Storz blind cap, pressure/suction, anodized	\$90.73
40249293	5" Storz blind cap, pressure/suction, brass	\$686.38
30326933	5" Storz adjustable test cap	\$397.78
40249833	6" Storz blind cap, pressure/suction, 3 lugs	\$165.73
40249895	6" Storz blind cap, pressure/suction, 3 lugs, brass	\$942.66
60588933	8" Storz blind cap, pressure/suction, 3 lugs	\$618.87
60669533	10" Storz blind cap, pressure/suction, 3 lugs	Upon request
20113933	10" Storz blind cap with handle, pressure/suction	Upon request
60669633	12" Storz blind cap, 3 lugs	Upon request



Storz Mounting Brackets

Storz mounting brackets for secure mounting of Storz appliances and adapters. Available in sizes 1.5" to 5" with quick quarter turn design.

Part Number	Description	List Price
30287332	1.5"-2.5" Storz mounting bracket	\$44.30
30382662	2"-3" Storz mounting bracket, POM grey	\$6.48
30103532	4" Storz mounting bracket	\$52.00
30103832	5" Storz mounting bracket	\$54.00

Storz Accessories and Parts



Spanner Wrenches

Combo 4" & 5" Storz spanner wrenches so you have both sizes in one wrench. Cast aluminium for light weight, corrosion resistance, and durability. Mounting bracket holds 4 wrenches with quick release/mounting stainless steel spring design. Wrenches sold individually or as a set.

Triple Holder Spanner/hydrant wrench set: All in one set of universal spanners – 2 each and hydrant wrench in one holder. Light weight spanners for use with threaded couplings along with convenient gas shut off key. Hydrant wrench is adjustable for universal use and includes spanner hook. Mounting bracket is aluminium with stainless steel springs for long life and corrosion resistance.

Part Number	Description	List Price
30284442	1.5"- 2.5" Storz spanner wrench, malleable cast iron	\$14.60
20141648	2", 3" and 4.33" Storz spanner wrench, galvanized steel with plastic grip cover	\$29.25
20171649	3"- 5.5" Storz spanner wrench	\$67.25
30068642	5"-6" Storz spanner wrench, malleable cast iron	\$55.70
60254733	1"-6" NH universal wrench	\$21.45
75149044	1:-6" NH universal wrench, folding type	\$21.31
75009045	Hydrant wrench single head spanner, adjustable	\$57.14
75149233	Holder for 2 spanner wrenches	\$50.11
75149333	Holder for 3 spanner wrenches	\$60.72
75149499	Spanner wrench set, 2 NH universal spanners with holder	\$93.01
75149599	Spanner wrench set, 2 NH universal spanners, one adjustable hydrant spanner with holder	\$160.76
75149644	Spanner wrench, Storz, 4"-5"	\$37.75
75029033	Spanner wrench, Storz 4"-5" x universal	\$34.89
75136533	Spanner wrench set of 4 Storz, 4"-5" x universal with holder	\$206.64
75149999	Spanner wrench set of 4 Storz, 4"-5" with holder	\$218.05
75150033	Holder for 4 Storz spanner wrenches	\$67.04

Storz gaskets, BSP gaskets and circlips.



Storz Gaskets

Part Number	Description	List Price
50190751	1" Storz gasket, pressure/suction	\$0.86
50190765	1" Storz gasket, pressure/suction, black	\$2.57
50190761	1" Storz gasket, pressure/suction, silicone	\$3.56
50045468	1.25" Storz gasket, pressure/suction	\$1.78
40246568	1.5" Storz gasket, pressure/suction	\$1.85
40246668	1.75" Storz gasket, pressure/suction	\$3.37
40237368	2" Storz gasket, pressure only	\$1.06
40046468	2" Storz gasket, pressure/suction	\$1.06
40046465	2" Storz gasket, pressure/suction, black	\$3.56

40046461	2" Storz gasket, pressure/suction, silicone	\$2.11
40235868	2.5" Storz gasket, pressure only	\$3.00
40238668	2.5" Storz gasket, pressure/suction	\$5.15
40237268	3" Storz gasket, pressure only	\$2.24
40073668	3" Storz gasket, pressure/suction	\$1.66
40073665	3" Storz gasket, pressure/suction, black	\$7.99
40073661	3" Storz gasket, pressure/suction, silicone	\$3.37
40082668	3.5" Storz gasket, pressure/suction	\$5.28
40261568	4" Storz gasket, pressure only	\$5.28
40261551	4" Storz gasket, pressure only, black	\$5.28
40238868	4" Storz gasket, pressure/suction only	\$8.84
40238861	4" Storz gasket, pressure/suction, silicone	\$20.53
40257368	4.33" Storz gasket, pressure/suction	\$3.17
40257361	4.33" Storz gasket, pressure/suction, silicone	\$7.33
40261668	5" Storz gasket, pressure only	\$8.38
40261651	5" Storz gasket, pressure only, black	\$7.79
40095368	5" Storz gasket, pressure/suction	\$6.67
40323468	5.5" Storz gasket, pressure/suction	\$21.58
40279151	6" Storz gasket, pressure only, black	\$19.07
40416368	6" Storz gasket, pressure/suction	\$11.08
30251868	6.5" Storz gasket, pressure/suction	\$19.93
40179251	10" Storz gasket, pressure/suction	\$127.50
30398351	12" Storz gasket, pressure only	\$140.00

BSP Gaskets

Part Number	Description	List Price
00062050	1" BSP gasket, 15x33x3, black	\$0.66
00064668	1.25" BSP gasket 32x42x3, white	\$1.06
00066368	1.5" BSP gasket, 41x48x3, white	\$1.06
00070068	2.5" BSP gasket 66x76x3, white	\$1.45
00072368	3" BSP gasket 78x88x3, white	\$2.11
00074768	4" BSP gasket 100x113x3, white	\$4.00
00075368	4.5" BSP gasket 105x126x3, white	\$6.34
00075868	5" BSP gasket 118x138x3, white	\$13.86
00518468	6" BSP gasket 152x164x4, white	\$12.14



Circlips

Part Number	Description	List Price
50189245	1" Circlip for Storz hose couplings, DIN 14301	\$1.32
50036447	1.5" Circlip for Storz hose couplings	\$2.24
50036245	2" Circlip for Storz hose couplings, DIN 14302	\$2.38
50245047	2.5" Circlip for Storz hose couplings, NEN 3374	\$2.64
50036145	3" Circlip for Storz hose couplings, DIN 14303	\$3.30
50052547	4" Circlip for Storz hose couplings	\$4.49
50274845	4.33" Circlip for Storz hose couplings, DIN 14323	\$7.13
50078447	5" Circlip for Storz hose couplings	\$7.92
50130647	6" Circlip for Storz hose coupling	\$8.71
60134444	Circlip remover	\$37.57





Accessories for Wire Binding

Mechanical Coupling devices and wire used for wire binding of hose couplings.

Part Number	Description	List Price
60361648	Binding for wire delivery hose, 1 pound spool	\$46.00
60361848	Mechanical coupling device	\$442.00
60361948	Wire binding device	\$229.20

British Instantaneous adapters



British Instantaneous Female Adapters To Female Thread

Part Number	Description	List Price
30183233	British Instantaneous adapter 1.5" female x 1.5" BSP female	\$62.37
30110032	British Instantaneous adapter 1.5" female x 2" BSP female	\$58.86
30110092	British Instantaneous adapter 1.5" female x 2" BSP female brass	\$100.77
60727032	British Instantaneous adapter 2.5" female x 1.5" NH female	\$109.67
30037432	British Instantaneous adapter 2.5" female x 2" BSP female	\$115.94
30228895	British Instantaneous adapter 2.5" female x 2" BSP female brass	\$90.09
30037232	British Instantaneous adapter 2.5" female x 2.5" BSP female	\$75.60
30037292	British Instantaneous adapter 2.5" female x 2.5" BSP female brass	\$105.91
30229733	British Instantaneous adapter 2.5" female x 2.5" BSP female with (2) twist release knobs	\$156.66
30258033	British Instantaneous adapter 2.5" female x 2.5" NH female	\$138.07
30258034	British Instantaneous adapter 2.5" female x 2.5" NH female anodized	\$144.82
30258093	British Instantaneous adapter 2.5" female x 2.5" NH female brass	\$131.59



British Instantaneous Female Adapters To Male Thread

Part Number	Description	List Price
30267533	British Instantaneous adapter 1.5" female x 1.5" BSP male	\$63.60
30037532	British Instantaneous adapter 2.5" female x 2" BSP male	\$60.70
30037332	British Instantaneous adapter 2.5" female x 2.5" BSP male	\$117.03
30037392	British Instantaneous adapter 2.5" female x 2.5" BSP male brass	\$121.23
30260534	British Instantaneous adapter 2.5" female x 2.5" NH male anodized	\$116.52
60731733	British Instantaneous adapter 2.5" female x 2.5" NPT male	\$100.15
60672692	British Instantaneous adapter 2.5" female x 2.5" NPT male brass	\$108.25



British Instantaneous Male Adapters To Female Thread

Part Number	Description	List Price
60263433	British Instantaneous adapter 1.5" male x 1.5" BSP female	\$133.19
40241133	British Instantaneous adapter 1.5" male x 2" BSP female	\$38.16
40272032	British Instantaneous adapter 2.5" male x 2" BSP female	\$21.89
40271293	British Instantaneous adapter 2.5" male x 2" BSP female brass	\$83.95
40178833	British Instantaneous adapter 2.5" male x 2.5" BSP female	\$54.00
40273293	British Instantaneous adapter 2.5" male x 2.5" BSP female brass	\$66.36
40329034	British Instantaneous adapter 2.5" male x 2.5" NH female anodized	\$73.08
60727132	British Instantaneous adapter 2.5" male x 2.5" NPT female	\$77.68



British Instantaneous Male Adapters To Male Thread		
Part Number	Description	List Price
60182433	British Instantaneous adapter 1.5" male x 1.5" BSP male	\$35.50
60273732	British Instantaneous adapter 2.5" male x 1.5" NH male	\$54.56
40111533	British Instantaneous adapter 2.5" male x 2" BSP male	\$39.52
40111033	British Instantaneous adapter 2.5" male x 2.5" BSP male	\$52.10
40344132	British Instantaneous adapter 2.5" male x 2.5" NH male	\$86.85
40344193	British Instantaneous adapter 2.5" male x 2.5" NH male brass	\$94.46
75021033	British Instantaneous adapter 2.5" male x 2.5" NPT male	\$54.22
75021192	British Instantaneous adapter 2.5" male x 2.5" NPT male brass	\$101.75



British Instantaneous To British Instantaneous Adapters		
Part Number	Description	List Price
60145133	British Instantaneous adapter 1.5" female x 2.5" male	\$112.33
60189933	British Instantaneous adapter 2.5" female x 1.5" male	\$143.97
60191533	British Instantaneous adapter 2.5" female x 2.5" female	\$256.81
60194433	British Instantaneous adapter 2.5" male x 2.5" male	\$93.54



British Instantaneous Blind Caps		
Part Number	Description	List Price
60183333	British Instantaneous blind cap 1.5" female	\$129.96
60183395	British Instantaneous blind cap 1.5" female brass	\$89.10
30096432	British Instantaneous blind cap 2.5" female	\$94.50
30096492	British Instantaneous blind cap 2.5" female brass	\$144.38



British Instantaneous Plugs		
Part Number	Description	List Price
40325932	British Instantaneous plug 1.5" male	\$52.38
40325995	British Instantaneous plug 1.5" male brass	\$121.36
40113532	British Instantaneous plug 2.5" male	\$34.45
40315892	British Instantaneous plug 2.5" male brass	\$96.25

BSRT Adapters Female To Female Thread		
Part Number	Description	List Price
40330133	BSRT adapter 4" female x 4" BSP male swivel	\$206.40
60454733	BSRT adapter 5" female x 5" BSP female swivel	\$630.00
30336233	BSRT adapter 5.5" female x 5" BSP female swivel	\$642.00

BSRT Adapters Female To Male Thread		
Part Number	Description	List Price
60600533	BSRT adapter 5" female x 5" BSP male swivel	\$283.90



BSRT Adapters Male To Female Thread		
Part Number	Description	List Price
30257932	BSRT adapter 4" male x 4" BSP female rigid	\$145.00
30257995	BSRT adapter 4" male x 4" BSP female rigid brass	\$389.70
30236432	BSRT adapter 5" male x 5" BSP female rigid	\$125.50



BSRT Adapters Male To Male Thread		
Part Number	Description	List Price
60671432	BSRT adapter 4" male x 3" NPT male	\$260.20
40060732	BSRT adapter 4" male x 4" BSP male rigid	\$148.80
60660632	BSRT adapter 5" male x 5" BSP male rigid	\$244.90



BSRT Blind Caps		
Part Number	Description	List Price
30167932	BSRT blind cap 4" female with chain	\$148.60
30167992	BSRT blind cap 4" female with chain brass	\$212.50

Line Gauges

Excellent device for determining pressure in standpipe for high rise attack lines. Protected gauge model has "luminescent", glycerin filled, 300 PSI easy to read gauge. Gauge also has red, amber, and green coloring for identifying proper hose line pressures. Bodies are hard coated anodized 6061-T light weight aluminium. Length: 7" max., Width: 6.5 max., Weight: 5 lbs max.



Part Number	Description	List Price
75147435	1.5" NH protected line gauge, 300 psi, hard anodized	\$221.04
75147335	2.5" NH protected line gauge, 300 psi, hard anodized	\$229.19
75147835	1.5" NH external line gauge, 300 psi, hard anodized	\$168.02
75148035	2.5" NH external line gauge, 300 psi, hard anodized	\$211.90
75148235	3" NH external line gauge, 300 psi, hard anodized	\$269.58



Dry Hydrant Sight Glass

A easy to use device for observing the flow while drafting. The AWG Sight Glass can be mounted on the dry hydrant or the drafting apparatus to observe the quantity and quality of water being drafted. Made from light weight high impact resistant acrylic tubing with a 6061-T6 hard coated aluminium frame. Specify size 1.5" to 6" female swivel long handle to male connections.



Part Number	Description	List Price
75150635	2.5" NH female swivel x 2.5" NH male, anodized	\$228.42
75150735	3" NH female swivel x 3" NH male, anodized	\$245.83
75150835	4" NH female swivel x 4" NH male, anodized	\$252.50
75150935	4.5" NH female swivel x 4.5" NH male, anodized	\$283.45
758151035	5" NH female swivel x 5" NH male, anodized	\$308.12
75151135	6" NH female swivel x 5" NH male, anodized	\$334.17



AWG Fittings, LLC

Terms and Conditions

Orders: All orders need to be submitted in written form either by mail, fax or email to AWG Fittings, LLC. A written confirmation of order receipt will be issued by AWG within two (2) business days. A minimum order of \$50.00 plus the cost of shipping and handling is required.

Terms: All prices are subject to change without prior notice. Prices listed do not include taxes or duties. All U.S. sales are Net 30 days with approved credit. Payments are subject to a late payment charge of 1.5% per month.

Risk of loss: The risk of loss shall pass to the buyer when the goods are transferred to the hands of the carrier. Lost goods shall be reported to both the carrier and to AWG Fittings, LLC.

Acceptance of goods: Any discrepancies or errors in shipments need to be reported to AWG Fittings, LLC within 8 days of shipment delivery.

Limited Warranty: AWG FITTINGS warrants that the Goods will conform to AWG Fittings' specifications and be free from defects in material and workmanship for a period of twelve (12) months from delivery. For further information regarding the warranty policy please refer to AWG Fittings, LLC's terms and conditions.



AWG Fittings, LLC Return Policy

Merchandise can be returned within 90 days in unused, like-new, and 100% saleable condition.* Please note that you are responsible for 100% of The product's value for damaged goods.

(*Special order/fabricated goods, as stated on original shipment are non-returnable)

How to return or exchange an item:

- In order to return an item you need to obtain an RMA (Return Merchandise Authorization) number.
- To request an RMA number by phone, call the AWG office at 508-850-5260 or via e-mail: info@awg-fire.com.
- Provide the following information:
 - Your contact information
 - AWG item # to be returned
 - Item quantity to be returned
 - Reason for the return and/or if exchanging for another item
 - The AWG Fittings invoice #, AWG sales order confirmation #, or your purchase order # for the item(s) being returned

- A copy of the RMA will be provided to you.
- Ensure that the item(s) is properly packed and protected from damage during shipping.
- The RMA number MUST be clearly written on the outer box, and, if possible, a copy of the RMA should be included with the shipment.
- Return shipping charges are the responsibility of the customer. We are not responsible for lost or damaged packages.
- Ship to: AWG FITTINGS, LLC
43 SUMMER ST
S. WALPOLE, MA 02071

UPON RECEIPT AND INSPECTION, CREDIT OR EXCHANGE WILL BE ISSUED.

All returns are subject to a 20% restocking charge.

A Fitting Connection

AWG

**Manufacturing The Worlds Leading
LDH Equipment For More Than 100
Years!**

